



Works : Vill.Talwara, Talwara Road, MANDI GOBINDGARH-147301 (Pb.)
Tel. : 01765 - 250200
E-mail : oasisentpvtltd@gmail.com
CIN : U74899DL1986PTC023661

Date: 21.11.2023

To

The Additional Director

Ministry of Environment, Forest & Climate Change,
Regional Office (North)
Government of India,
Bay No. 24-25, Sector – 31 A,
Chandigarh.

(Mail ids.: eccompliance-nro@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of Six Monthly Compliance Report for period ending 30.09.2023 for the Steel Manufacturing Unit namely "M/s Oasis Enterprises Pvt. Ltd." located at Village Talwara, Talwara Road, Mandi Gobindgarh, District Fatehgarh Sahib, Punjab.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 30.09.2023 for the above said project in soft copy through mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,

For M/s Oasis Enterprises Pvt. Ltd.


(Authorized Signatories)

Name: Mr. Sanjay Gupta

Contact No.: 9814024996

Designation: Director

Email: oasisentpvtltd@gmail.com

CC to:

1. **Member Secretary**, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26, Chandigarh-160019 (Upload on Parivesh Portal and through e-mail sciaapb2017@gmail.com)
2. **Environmental Engineer**, Punjab Pollution Control Board, Regional Office, RIMT Management College, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab (mail id: cerofgs@gmail.com)

2023

**SIX MONTHLY COMPLIANCE
REPORT
(Period ending 30.09.2023)**

F

OR

For

M/s Oasis Enterprises Pvt. Ltd.

At

**Village Talwara, Talwara Road,
Mandi Gobindgarh,
District Fatehgarh Sahib, Punjab**

Prepared by:



**Eco Paryavaran Laboratories and Consultants
Private Limited**

E-207, Industrial Area, Phase-VIII B (Sector-74), Mohali (SAS Nagar),
Punjab 160071

Tele No.: 0172-4616225 **email:** compliance@ecoparyavaran.org

M: 098140-03103, 088720-43178

www.ecoparyavaran.org



CONTENT

S. No.	Description	Page No.
1.	Data Sheet	1
2.	Compliance of Environmental Clearance conditions	5
Annexure		
3.	A-1: Copy of Environmental Clearance letter	21
4.	A-2: Project photographs	34
5.	A-3: Consent to Operate obtained from PPCB	37
6.	A-4: Authorization for hazardous waste obtained from PPCB	56
7.	A-5: Completion Certificate of Ambient Air Quality Monitoring System	61
8.	A-6: Test report of Ambient air, noise, water and soil	62
9.	A-7: Agreement for disposal of APCD dust with M/s Jogindra Castings Pvt. Ltd.	67
10.	A-8 Completion certificate of STP installation	75
11.	A-9: Pond NOC from Sarpanch of the Village	76
12.	A-10: Sarpanch NOC for Public Hearing	77
13.	A-11 : Environment policy of the Company	78
14.	A-12: Copy of advertisement published in the newspaper regarding grant of EC	80
15.	A-13: Screenshot showing uploading of the EC letter on Company's website	81
16.	A-14: Submission of Six monthly compliance report for period ending 31.03.2023 via e-mail to RO, MoEF&CC and RO, PPCB.	82

Ministry of Environment, Forest & Climate Change
Northern Regional Office
Chandigarh-160030
Data Sheet

1.	Project Type	3(a): Metallurgical Industries (Ferrous & Non-ferrous alloys)
2.	Name of the Project	Oasis Enterprises Pvt. Ltd.
3.	Clearance letter (s) O.M. No. & Date	Environmental Clearance has been granted by SEIAA, Punjab vide Letter No. DECC/SEIAA/2020/1638 dated 20.05.2020; copy of the EC letter is attached along as Annexure 1 .
4.	Location	Village Talwara, Talwara Road, Mandi Gobindgarh
a)	District(s)	Fatehgarh Sahib
b)	State (s)	Punjab
5.	Address for correspondence	M/s Oasis Enterprises Pvt. Ltd. Village Talwara, Talwara Road, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab (147301)
6.	Salient features	
a)	Of the Project	As per the Environmental Clearance letter, total plot area of the project after expansion becomes 5.40 acres. The production capacity of the industrial unit after expansion will becomes 1,000 TPD of Ingots/ Billets/ Flats/ Structures/ TMT bars/ M.S Bars/ H.R Coils by 4 Induction Furnaces of capacity 20 TPH each, existing one Ladle Furnace of capacity 20 TPH and One Rolling Mill.
b)	Of the environment	As per the Environmental Clearance, total water requirement for the project will be 124 KLD which will be met through existing bore wells. Out of this, 18 KLD will be domestic water demand, 66 KLD will be make-up water demand for cooling purpose and 40 KLD will be green area water demand. The domestic wastewater generated from the project will be 14.4 KLD treated in proposed STP of capacity

		20 KLD. Treated water will be utilized onto green area or re-circulated through cooling water. Total power requirement for the project will be 30,000 KW which will be supplied by PSPCL.												
7.	Break-up of the Project Area	-												
a)	Submergence area	Not Applicable												
8.	Break up of project affected population with enumeration of those losing houses/dwelling units only, agricultural land only both dwelling units and agricultural land and landless laborers/land landless laborers/ artisans.	Not Applicable												
a)	SC/ST/Adivasis	Not Applicable												
b)	Others (<i>Please indicate whether these figures are base on any scientific and systematic survey carried out or only provisional figures. if a survey has been carried out give details and year of survey</i>)	Not Applicable												
9.	Financial details													
a)	Project cost as originally planned and subsequent revised estimates and the year of price reference.	As per EC letter, the overall cost of the project will be Rs. 50.45 Crores.												
b)	Allocations made for environmental management please with item wise and year of assessment.	<p>Allocations made for environment management plan with breakup is given below:</p> <table border="1"> <thead> <tr> <th>Environment Protection Measures</th> <th>Capital (Rs. in Lakhs)</th> <th>Recurring Cost (Rs. in Lakhs/ year)</th> </tr> </thead> <tbody> <tr> <td>Air Pollution control (Installation of APCD)</td> <td>375</td> <td>1</td> </tr> <tr> <td>Water pollution control (STP)</td> <td>20</td> <td>2.5</td> </tr> <tr> <td>Noise pollution control (Including cost of landscaping & green belt)</td> <td>5</td> <td>1.5</td> </tr> </tbody> </table>	Environment Protection Measures	Capital (Rs. in Lakhs)	Recurring Cost (Rs. in Lakhs/ year)	Air Pollution control (Installation of APCD)	375	1	Water pollution control (STP)	20	2.5	Noise pollution control (Including cost of landscaping & green belt)	5	1.5
Environment Protection Measures	Capital (Rs. in Lakhs)	Recurring Cost (Rs. in Lakhs/ year)												
Air Pollution control (Installation of APCD)	375	1												
Water pollution control (STP)	20	2.5												
Noise pollution control (Including cost of landscaping & green belt)	5	1.5												

		Solid waste management	3	1
		Environmental monitoring & management	3	5
		Health, safety & risk management	3	0.5
		Rain water recharging outside the project premises	1.5	1
		Miscellaneous	1	0.5
		Total	411	12.1
c)	Benefit cost ratio/ Internal rate of return and year of assessment.	Will be submitted separately.		
d)	Whether (c) includes the cost of environmental management as shown in (b) above.	Yes, the cost benefit ratio will be worked out considering the cost of environment management.		
e)	Actual expenditure incurred on the project so far.	Actual expenditure done on project till 30 th September, 2023 is Rs. 34.51 Crores.		
f)	Actual expenditure incurred on Environment management Plan so far	Approx. Rs. 56.65 Lakhs have been spent on environment management plan till 30 th September, 2023.		
10.	Forest lands requirement:	Not applicable		
a)	The status of approval for diversion of forest land for non-forestry use.	Not applicable		
b)	The status of clear felling.	Not applicable		
c)	The status of compensatory a forestation programmer in the light of actual field experience so far.	Not applicable		
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach road) if any, with quantitative information.	Not Applicable		
12.	Status of construction	The project is existing industrial unit and EC is obtained for increasing the production capacity.		

		Photographs of the existing unit are attached along as Annexure 2.
a)	Date of commencement (<i>actual and /or planned</i>)	December, 2021 (for expansion w.r.t EC)
b)	Date of completion (<i>actual and/or planned</i>)	January, 2022 for Phase I December, 2024 for Phase II
13.	Reasons for the delay if the project is yet to start:	Not applicable

Compliance report on conditions imposed in Environmental Clearance for period ending 30.09.2023

Standard EC conditions for Induction/Electric Arc Furnace & Rolling Mills

I. Statutory Compliance:		
S. No.	EC Conditions	Reply
i.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable, as no forest land is involved.
ii.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable, as no wildlife sanctuary falls within 10 km of project location.
iii.	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/ Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six- monthly compliance report, (in case of the presence of schedule-I species in the study area)	Not applicable, as no wildlife sanctuary falls within 10 km of project location.
iv.	The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	Consent to Establish obtained from PPCB prior to installation of machinery. Consent to Operate has been obtained from PPCB; copy of the same is enclosed as Annexure 3 .
v.	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water from the competent authority concerned in case of drawl of surface water required for the project. In case of non- grant of permission by CGWA for ground water abstraction, the industry shall make alternative arrangements by using surface water or treated city sewage effluent after obtaining permission from competent authority.	Application has been submitted to CGWA for seeking permission regarding abstraction of ground water. But, as per the latest Notification, CGWA is not processing ground water applications for Punjab State. Consequently, Punjab Ground Water Regulation & Development Authority

		(PWRDA) has been constituted to grant NOC's for abstraction of ground water. Thus, application has been submitted for permission from PWRDA regarding abstraction of ground water.
vi.	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	Authorization of the hazardous waste has been obtained from PPCB; copy of the same is enclosed as Annexure 4 .
vii.	The project proponent shall comply with conditions imposed by the District Town Planner, Fatehgarh Sahib vide Memo No. 479 dated 28.04.2015.	All the conditions imposed in the CLU are being complied.
viii.	The project site shall comply with conditions imposed confirm to the suitability as prescribed under the provisions laid down under the master plan of respective city/ town. For that, the project proponent shall either to submit the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority under whom jurisdiction, the site falls.	Letter has been obtained from District Town Planner regarding the project falls within industrial zone as per the Master plan of Mandi Gobindgarh.
ix.	Besides above, the project proponent shall also comply with siting criteria/ guidelines, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/ CPCB/ MoEF&CC for such type of projects.	Agreed. Company is being comply all the siting criteria as specified by PPCB/ MoEF&CC.
II. Air quality monitoring and preservation		
i.	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31 st March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7 th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment	Agreed. Continuous emission monitoring system has been installed.

	(Protection) Act, 1986 or NABL accredited laboratories.	
ii.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Agreed. Monitoring of fugitive emissions will be done on quarterly basis from NABL accredited laboratory.
iii.	The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM ₁₀ and PM _{2.5} in reference to PM emission, and SO ₂ and NO _x in reference to SO ₂ and NO _x emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (Case to case basis small plants: Manual; Large plants: Continuous).	Continuous ambient air quality monitoring system has been installed; copy of completion certificate is enclosed as Annexure 5 . Photographs showing the same are enclosed as Annexure 2 . Further, ambient air monitoring has been done on half yearly basis by NABL accredited laboratory. Test reports showing the results is enclosed as Annexure 6 .
iv.	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six monthly monitoring report.	Monitoring of ambient air quality is being done on half yearly basis by NABL accredited laboratory and test reports is being submitted with six monthly compliance report to RO, MoEF&CC, Chandigarh, SEIAA, Punjab and RO, PPCB.
v.	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.	Bag house filters with side suction hood has been installed as air pollution control device as per the design approved by PSCST, Chandigarh. Thus, fugitive emissions are very less during the feeding and that too temporary in nature for which proper exhaust systems have been provided.

vi.	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Agreed. Leakage detection and bag cleaning facilities provided for maintenance of bags.
vii.	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	Agreed.
viii.	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration.	APCD dust generated is given to M/s Jogindra Castings Pvt. Ltd. for disposal; copy of the agreement is enclosed as Annexure 7.
ix.	The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	Covered trucks are being used to carry the raw materials.
x.	The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.	Scrap is being kept under the covered sheds only.
xi.	The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.	Agreed.
xii.	Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.	Agreed.

III. Water quality monitoring and preservation

i.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31 st March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7 th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories, (case to case basis small plants: Manual; Large plants: Continuous).	Not required as there is no generation of industrial effluent from the industrial unit.
----	---	---

ii.	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	Monitoring of ground water has been done on half yearly basis by NABL accredited laboratory and results are found within the permissible limit. Test reports are attached along as Annexure 6 .
iii.	The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.	Monitoring of ground water quality is being done on half yearly basis by NABL accredited laboratory and test reports are being submitted with six monthly compliance report to RO, MoEF&CC, Chandigarh/SEIAA, Punjab and RO, PPCB.
iv.	Adhere to 'Zero Liquid Discharge'.	There is no generation of industrial effluent from the project, only domestic wastewater is being generated which is being treated in STP installed of capacity 50 KLD and reused within project premises. Copy of Letter of completion of STP installed is enclosed as Annexure 8 .
v.	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	STP of capacity 50 KLD has been installed and treated water is reused within project premises.
vi.	The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31st March 2012 (applicable to IF/EAF) as amended from time to time.	There is no generation of industrial effluent. Thus, no ETP plant is required.
vii.	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Proper drainage system has been provided within the project premises to collect the run-off.
viii.	During construction phase, the project proponent shall ensure that the wastewater being generated from the labour quarters/toilets shall be treated and	Not applicable, as construction of the proposed shed was done and

	disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation.	local labours were hired. Thus, no temporary hutments provided.
ix.	The project proponent shall practice rainwater harvesting to maximum possible extent. The project proponent shall not adopt ground water recharge with in plant premises to avoid underground contamination due to deposition of pollutants on roof top being highly dense industrial area. However, industry may adopt some public place like educational institutes, religious place or monuments for underground recharging or may store and use the rain water within premises or may adopt some village pond for rain water harvesting. As committed, the industry shall adopt pond having 3 acre located in the village Talwara, Block Bassi Pathania, Mandi Gobindgarh harvesting of total rain water @ 82,859 m ³ per annum. The stream carrying wastewater of the village shall be first treated in the septic tank of adequate capacity to be constructed beside pond and the over flow of the septic tank will be sent to the pond. Pond water will percolate through natural strata (without injection) to augment the ground water and remaining water shall be used for irrigation purposes by pumping method in the nearby fields.	No rain water recharging pits has been provided within project premises. Thus, rain water recharging is being done outside of project premises by adopting pond located in the Village Talwara. NOC has been obtained from Sarpanch of the village regarding pond; copy of the same is enclosed as Annexure 9 .
x.	The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.	Agreed. Water consumption is kept minimum, as water efficient machinery has been installed. Further, STP of capacity 50 KLD has been installed and treated water is reused within project premises.
IV. Noise monitoring and prevention		
i.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall	Monitoring of ambient noise has been done on half yearly basis by

	be submitted to Regional Officer of the Ministry as a part of six- monthly compliance report.	NABL accredited laboratory and results are found within permissible limit. Test report is enclosed as Annexure 6 .
ii.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Results of ambient noise monitoring are found within permissible limit. Test report is enclosed as Annexure 6 .
V. Energy Conservation measures		
i.	The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.	Not applicable, as there will be no reheating furnace.
ii.	Practice hot charging of slabs and billets/blooms as far as possible.	Agreed.
iii.	Ensure installation of regenerative type burners on all reheating furnaces.	Not applicable, as there will be no reheating furnace.
iv.	Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	Agreed. Solar panel of capacity 450 KVA has been installed.
v.	Provide the project proponent for LED lights in their offices and residential areas.	LED lights have been provided in offices and sheds within the project.
VI. Waste management		
i.	Used refractories shall be recycled as far as possible.	Agreed.
ii.	Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces.	Not applicable, as no ETP required.
iii.	100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.	There is generation of APCD dust which is given to M/s Jogindra Castings Pvt. Ltd.; agreement has been done and copy of the same is enclosed as Annexure 7 . Further, non-hazardous slag is also generated from the industrial unit, which is given to Tile/Block manufacturing unit for co-processing.

iv.	The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.	APCD dust generated from the unit is given to M/s Jogindra Castings Pvt. Ltd; copy of the agreement is enclosed as Annexure 7 .
-----	--	--

VII. Green Belt

i.	Green belt shall be developed in an area equal to 33% of the plant area with a native tree species (having canopy type structure and especially trees not grass) in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant as assured during the presentation. The industry shall ensure that most of the periphery shall be provided with green belt by removing the unwanted/non-productive structures already provided in the existing project near the boundary wall. Canopy trees shall also be planted around the parking area to provide shade to the parked vehicles.	Adequate green area has been provided within project premises. Photographs showing the green area provided within the project is enclosed as Annexure 2 .
ii.	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	Agreed.

VIII. Public hearing and Human health issues

i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Emergency preparedness plan is being implemented in the industrial unit.
ii.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	Agreed. Heat stress analysis will be done for the workers working in high temperature work zone. Further, Personal Protection Equipment (PPE) has already been provided to workers for safety.
iii.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The	Not applicable, as construction of the proposed shed was done and local labours were hired. Thus, no temporary hutments provided.

	housing may be in the form of temporary structures to be removed after the completion of the project.																
iv.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	All the workers are covered under ESI Scheme. Regular health checkup of the workers is being done.															
v.	The project proponent shall carry out the following activities and spent an amount as committed during the Public Hearing: <table border="1" data-bbox="300 663 948 1281"> <thead> <tr> <th>S. No</th> <th>Expenditure on Public Hearing Action Plan</th> <th>Expenditure (in Rs.)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Provision of winter uniforms, interlocking tiles as well as maintenance of Govt. School in Village Talwara</td> <td>3,00,000</td> </tr> <tr> <td>2.</td> <td>Air tickets provided to the girl child of Talwara Village</td> <td>50,000</td> </tr> <tr> <td>3.</td> <td>Installation of CCTV camera & lights near the under bridge of the village Talwara</td> <td>2,00,000</td> </tr> <tr> <td colspan="2" style="text-align: center;">Total</td> <td>Rs. 5,50,000</td> </tr> </tbody> </table>	S. No	Expenditure on Public Hearing Action Plan	Expenditure (in Rs.)	1.	Provision of winter uniforms, interlocking tiles as well as maintenance of Govt. School in Village Talwara	3,00,000	2.	Air tickets provided to the girl child of Talwara Village	50,000	3.	Installation of CCTV camera & lights near the under bridge of the village Talwara	2,00,000	Total		Rs. 5,50,000	Air tickets has been provided to the girl child of Talwara Village as committed during Public hearing. Letter from Village Sarpanch in this regard is enclosed as Annexure 10 . Further, other activities committed during public hearing will be undertaken.
S. No	Expenditure on Public Hearing Action Plan	Expenditure (in Rs.)															
1.	Provision of winter uniforms, interlocking tiles as well as maintenance of Govt. School in Village Talwara	3,00,000															
2.	Air tickets provided to the girl child of Talwara Village	50,000															
3.	Installation of CCTV camera & lights near the under bridge of the village Talwara	2,00,000															
Total		Rs. 5,50,000															

IX. Corporate Environment Responsibility

i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA. 111 dated 1 st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending atleast minimum amount of Rs. 19.45 Lacs towards following CER activities: <table border="1" data-bbox="300 1666 948 1921"> <thead> <tr> <th>S. No.</th> <th>CER Activities</th> <th>Annual Expenditure (in Rs.)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Adoption of Govt. Primary School and Govt. Middle School in the Village Talwara to improve its education</td> <td>19,45,000/-</td> </tr> </tbody> </table>	S. No.	CER Activities	Annual Expenditure (in Rs.)	1.	Adoption of Govt. Primary School and Govt. Middle School in the Village Talwara to improve its education	19,45,000/-	Agreed. CER activities will be undertaken.
S. No.	CER Activities	Annual Expenditure (in Rs.)						
1.	Adoption of Govt. Primary School and Govt. Middle School in the Village Talwara to improve its education	19,45,000/-						

	<table border="1"> <tr> <td>quality and infrastructure in the form of library, solar system, drinking water RO system, washrooms & badminton court etc.</td> <td></td> </tr> <tr> <td>Total</td> <td>19,45,000/-</td> </tr> </table>	quality and infrastructure in the form of library, solar system, drinking water RO system, washrooms & badminton court etc.		Total	19,45,000/-	
quality and infrastructure in the form of library, solar system, drinking water RO system, washrooms & badminton court etc.						
Total	19,45,000/-					
	<p>However, CER activities shall strictly be in accordance with the activities listed out in the OM dated 01.05.2018 and as per the proposal submitted by the project proponent. The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.</p>					
ii.	<p>The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions and/ or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.</p>	<p>Company is having well defined environment policy; copy of the same is enclosed as Annexure 11.</p>				
iii.	<p>A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.</p>	<p>Separate environment management cell has been constituted to deal with Environment related matters. The names along with designation are given below:</p> <ol style="list-style-type: none"> 1. Sh. Jawah Lal Goyal (President Operations) 2. Sh. Jagroop Singh (SMS-Head) 				

iv.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs. 411 Lacs towards capital cost and Rs. 12.1 Lacs/ annum towards recurring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	The entire cost of the environmental management plan is being borne by the company and details are being submitted with six monthly compliance report.
v.	Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.	Agreed.
vi.	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Agreed.
vii.	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.	Agreed.
XVII. Validity		
i.	This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier	Environment Clearance has been granted by SEIAA, Punjab vide Letter No. DECC/ SEIAA/2020/ 1638 dated 20.05.2020 and is valid till 19.05.2030 as per the EIA notification & its amendment; copy of the EC letter is enclosed as Annexure 1 .
XVIII. Miscellaneous		
i.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and	Advertisement has been published in the newspaper regarding grant of EC; copy of

	safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	the advertisement is enclosed as Annexure 12. Further, Environmental Clearance letter has been uploaded on the Company's website; screenshot showing the same is attached along as Annexure 13.
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Copy of Environmental Clearance letter has been submitted to concerned department i.e. Municipal Council, Mandi Gobindgarh and DC Office, Fatehgarh Sahib.
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Environmental Clearance letter has been uploaded on the Company's website; screenshot showing the same is attached along as Annexure 13.
iv.	The project proponent shall monitor the criteria pollutants level namely; PM ₁₀ , SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Environment data board has been displayed near main gate.
v.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Six monthly compliance report is being submitted regularly on half yearly basis. Screenshot showing submission of compliance report via mail for period ending 31.03.2023 is enclosed as Annexure 14.
vi.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Environment statement of financial year in Form-V will be submitted to RO, PPCB.

vii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Consent to Operate has been obtained from PPCB; copy of the same is enclosed as Annexure 3 .
viii.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Agreed. Stipulations made by the Punjab Pollution Control Board and State Government are being followed.
ix.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Agreed. The commitments made in EIA/EMP report, during public hearing or during presentation are being fulfilled.
x.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed. If any changes or further expansion will be done, then fresh application will be submitted to SEIAA, Punjab.
xi.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Agreed.
xii.	The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
xiii.	The SEIAA/ Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed.
xiv.	The Regional Office of this Ministry and Punjab Pollution Control Board (PPCB) shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office and PPCB by furnishing the requisite data/ information/ monitoring reports.	Agreed. Full co-operation will be provided to Officer(s) of Regional Offices and PPCB at the time of their visit.

xv.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.	Agreed.
xvi.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Not applicable, as 30 days' time period is over and no appeal has been made.
Additional Specific Conditions decided during meeting of SEAC		
i.	The project proponent shall provide STP for treatment of waste water & reutilization of the treated water for core/non-core activities so as to achieve the Zero Liquid Discharge Condition as per the III (iv) of OM dated 09/08/2018 issued by the MoEF&CC for such units.	Agreed. STP of capacity 50 KLD has been installed and treated water is reused within project premises; copy of completion letter for installation of STP is enclosed as Annexure 8 .
ii.	The project proponent shall reuse of cooling tower blow down, simultaneously ensuring the standards prescribed for such purge waters. If required, necessary arrangements shall be made to keep this waste stream within the parameters required for reuse.	Agreed. The same will be complied.
iii.	The project proponent shall reserve adequate land for loading or unloading of raw material, products, slag, hazardous waste as well as for storage of these materials and the area to be reserved for parking. The area to be reserved by considering the time required for loading and unloading of vehicles for respective activities and minimum/ maximum period for which storage of the above material is required in the premises. The areas for the respective activities to be marked on the layout plan.	Adequate parking area and loading/ unloading areas have been earmarked for vehicles carrying raw materials, final products, slag and hazardous waste. Further, separate sheds have already been provide for storage purpose as per the layout plan.

iv.	The project proponent shall comply with the standard operating procedures and upgrade the suction and treatment arrangement for the secondary emissions as prescribed by the State Pollution Control Board or by CPCB/MoEF&CC.	Agreed. The same is being complied.
v.	Whole of the vehicle movement area as well as approach road to the gate/ weighing bridge shall be paved with pucca/ metalled/ cement concrete road to control the dust emissions expected from the vehicle movement.	The internal roads are fully paved within the project premises.
vi.	The vehicles to be used for loading/ unloading purpose shall not be parked along roadside so as to avoid the traffic congestion and dedicated parking place to be provided for the same.	Vehicles used for loading/ unloading purpose are not parked outside of the project in order to avoid traffic congestion. Adequate parking area has been provided within the unit only.
vii.	The project proponent shall adopt green technologies to conserve the water and energy including shearing/ cutting/ bundling machines. Also to provide abrasive resistant fire bricks in the crucibles to reduce the periodic maintenance & disposal of discarded fire bricks.	Agreed. The same will be complied.
viii.	The project proponent shall use natural gas (if available) as substitute fuel wherever possible in the existing industry/ for expansion project.	Agreed. Natural gas will be utilized to the maximum extent, whenever possible.
ix.	The project proponent shall obtain mandatory clearances under Pollution Control laws.	Agreed. All the required approvals will be obtained as and when required. Such as: <ul style="list-style-type: none"> • Consent to Operate obtained from PPCB; copy of the same is enclosed as Annexure 3. • Authorization of Hazardous waste has been obtained from PPCB; copy of the same is enclosed as Annexure 4.

x.	The project proponent shall submit the proof of amount spent towards the commitment made during the public hearing i.e. 2 lakhs have been reserved for installation of CCTV cameras & lights near the under bridge of Village Talwara and Rs. 50,000 has been reserved for air tickets for girl child of Village Talwara.	Letter has been obtained from Sarpanch of the village regarding fulfillment of the commitment during public hearing; copy of the letter is enclosed Annexure 10 .
ADDITIONAL SPECIFIC CONDITIONS DECIDED DURING MEETING OF SEIAA		
i.	The project proponent will not install new tubewell, however water required for proposed expansion will be abstracted from existing borewell located in non-notified area after obtaining permission from CGWA.	Agreed. No new borewell will be constructed within the project without permission obtained from Punjab Water Regulation & Development Authority (PWRDA).
ii.	The project proponent will increase the power load of 16 MW further by 14 MW for proposed expansion.	Agreed.

 सत्यमेव जयते	STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, PUNJAB Ministry of Environment, Forest & Climate Change, Government of India O/o Directorate of Environment & Climate Change C/o PSCST, MGSIPA Complex, Sector 26, Chandigarh-160019 Tele-0172-2792325 Fax- 0172-2793143
---	---

No. DECC/SEIAA/2020/ 1638

REGISTERED

Date: 20/11/20

To

✓ M/s. Oasis Enterprises Pvt. Ltd.
 Village Talwara, Talwara Road,
 Mandi Gobindgarh, Tehsil Amluh
 Distt. Fatehgarh Sahib
 Punjab-147301
 Mobile No. - 9814024996

Subject: Application for obtaining Environmental clearance under EIA notification dated 14.09.2006 for Expansion of Steel Manufacturing Unit namely "Oasis Enterprises Pvt. Ltd." at Village Talwara, Talwara Road, Mandi Gobindgarh, Teh. Amluh, Distt. Fatehgarh Sahib, Punjab by M/s. Oasis Enterprises Pvt. Ltd. (Proposal no SIA/PB/IND/22227/2018)

This has reference to your subject cited Proposal No. SIA/PB/IND/22227/2018 for obtaining Environmental Clearance under EIA notification dated 14.09.2006. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A, EIA report based on issued TORs and the additional clarifications furnished in response to the observations of the SEAC. The details of the project proposed by the project proponent are as under:

1	Name and Location of the project	M/s. Oasis Enterprises Pvt. Ltd. At Village Talwara, Talwara Road, Mandi Gobindgarh, Teh. Amluh, Distt. Fatehgarh Sahib, Punjab		
2.	Nature of project (Fresh/Expansion Amendment/Others)	Expansion project		
3.	a) Category b) Activity (as per schedule appended to EIA Notification, 2006 as amended time to time.)	a) B-1 b) 3(a) Metallurgical Industries (Ferrous & Non Ferrous Alloys).		
4.	Area Details			
	Details	Existing	Additional Land	After Expansion
	Plot Area	5.40 acre	Nil	5.40 acre

	Co-ordinates of the project site	A: 30°39'13.56"N and 76°19'34.74"E B: 30°39'15.01"N and 76°19'32.19"E C: 30°39'14.60"N and 76°19'23.27"E D: 30°39'11.52"N and 76°19'23.19"E E: 30°39'11.48"N and 76°19'32.14"E			
5.	Project Cost (After expansion)	Rs. 50.45 Crores			
6.	Environmental Clearance fee	Rs. 24,500 submitted through UTR no. N14I201139749083 dated: 20.05.2020 (For increased amount of project expansion cost as per the Notification No 10/167/2013-STE5)/1510178/1 dated 27/06/2019)			
7.	Raw Material requirement (After expansion)	Scrap@ 1075 TPD & Ferro Alloys @25 TPD			
8	Production Capacity (After expansion)	1000 TPD of Ingots/Billets/Flats/Structures/TMT Bars/M.S Bars/H.R Coils			
9.	Details of major productive machinery/plant (After expansion)	1. 4 no's Induction Furnaces of capacity 20 TPH each 2. One ladle furnace of capacity 20 TPH and rolling Mill			
10.	Manpower(After expansion)	360 persons			
11.	Water Requirements & its source (After expansion)	Total Water Demand:124 KLD i) Domestic: 18 KLD ii) Cooling: 66 KLD iii) Green Area: 40 KLD Water demand shall be met through existing tubewells after obtaining permission from CGWA. In case permission is not granted, then alternative sources like treated sewage water or surface water shall be used.			
12.	Details of Effluent(After expansion)				
	Sr. No.	Details	Quantity (After Expansion)	Remarks	
	i)	Industrial Effluent	Nil	No industrial effluent generated except purge water which shall confirmed to the prescribed standards before discharge onto land for plantation.	
	ii)	Domestic Effluent.	14.4 KLD	Wastewater generated from the project will be treated in the STP of capacity 20 KLD and same shall be utilized onto green area or recirculated through cooling tower.	
13.	Details of Emissions(After expansion)				
	Sr. No.	Source	Capacity	Chimney Height (m)	Air Pollution Control Device
	i)	Induction Furnace & LRF	4 x 20 TPH each & 1 x 20 TPH	18 m with 3 IF of 20 TPH each	Side suction Hood followed by Bag Filter with one IF of 20 TPH IF & one LRF of 20 TPH

					But 22 m with one IF of 20 TPH and one LRF of 20 TPH	Side suction hood followed by Pulse Jet Bag Filter with 3 IF of 20 TPH
	ii)	DG sets	500 KVA	5.0 m each		Equipped with Canopy
14.	Details of Hazardous waste and its disposal(After expansion)					
	Sr. No.	Hazardous Waste Category	Quantity (After expansion)	Disposal		
	i)	Cat.35.1 Exhaust air or Gas cleaning Residue	962.5 TPA	Shall be reprocessed through M/s Madhav Alloys, Fatehgarh Sahib, for recovery of metal. In case non acceptance by the reprocessor, the hazardous waste to be given CSTDF, Nimbua		
	ii)	Cat.5.1 – Used Oil	0.040 KL per annum	Shall be reprocessed through authorized recyclers of waste oil		
15.	Solid waste generation and its disposal (After expansion)					
	Sr. No.	Solid Waste	Quantity (After Expansion)	Disposal		
	(i)	Slag	33 TPD	Shall be reprocessed through M/s Khanna Cement Products		
16.	Energy Requirements(After expansion)		i) Power load 30000 KW through PSPCL. ii) Two Silent DG sets of capacity 500 KVA as stand-by arrangement.			
17.	Environment Management Plan Environment Management Cell (EMC) shall be responsible for implementation of EMP which consists of Director of the company, representative of management, process-in-charge, in-charge maintenance and a representative of environmental consultant. The budgetary requirement for implementation of EMP is as under:-					
	Sr. No.	Environmental Protection Measures		Capital Cost (Rs. in lakhs)	Recurring Cost (Rs. in lakhs/year)	
	1.	Air Pollution Control (Installation of APCD)		375.0	1.0	
	2.	Noise Pollution Control (Including cost of landscaping & green belt)		5.0	1.5	
	3.	Solid Waste Management		3.0	1.0	
	4.	Water Pollution Control (STP)		20	2.5	
	5.	Environment Monitoring & Management		3.0	5.0	
	6.	Health, Safety & Risk Assessment		3.0	0.5	
	7.	Rain Water Recharging outside the project premises		1.0	0.1	
	8.	Miscellaneous		1.0	0.5	

	Total	411.0	12.1
18.	CER activities along with budgetary break up responsibility to implement	Director of the industry will be responsible for the implementation of CER. The details of activities have been mentioned in the CER condition.	

The case was considered by the SEAC in its 181st meeting held on 11.07.2019 wherein the committee observed that the project proponent has provided adequate, satisfactory clarifications to the observations raised by it. Therefore committee awarded 'Silver Grading' to the project proposal and decided to forward the case to the SEIAA with the recommendation to grant environmental clearance to the project proponent under EIA notification dated 14.09.2006 subject to certain conditions in addition to the proposed measures.

The case was placed before SEIAA for consideration in the 161st meeting held on 27.02.2020 wherein SEIAA observed that *as per CEPI score- 53.91*, Mandi Gobindgarh does not fall in the list of CPAs. The SEIAA looked into the details of the case and was satisfied with the same. A copy of presentation was taken on record by SEIAA.

Therefore, the Authority decided to grant Environmental Clearance under category-B with project/ activity 3(a)- Metallurgical Industries (ferrous & nonferrous mild steel) for for Mild Steel (Ingots/Billets/Flats/Structures/TMTBars/M.S Bars/H.R Coils) manufacturing unit having production capacity upto 1000 TPD, located in the revenue estate of Village Talwara, Talwara Road, Mandi Gobindgarh, Teh. Amloh, Distt. Fatehgarh Sahib, Punjab by M/s. Oasis Enterprises Pvt. Ltd, as per the details mentioned in Form 1, 1A, EMP & subsequent presentations/ clarifications made by the project proponent and his Environmental Consultant subject to the conditions as proposed by SEAC, in addition to the proposed measures and amendments made by SEIAA. Accordingly, SEIAA, Punjab hereby accords necessary environmental clearance for the above project under the provisions of EIA Notification dated 14.09.2006 and its subsequent amendments, subject to proposed measures & strict compliance of terms and conditions as follows: -

Standard EC Conditions for Induction/ Electric Arc Furnace & Rolling Mills

I. Statutory compliance:

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife

Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area)

- iv. The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water from the competent authority concerned in case of drawl of surface water required for the project. In case of non- grant of permission by CGWA for ground water abstraction, the industry shall make alternative arrangements by using surface water or treated city sewage effluent after obtaining permission from competent authority.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- vii. The project proponent shall comply with conditions imposed by the District Town Planner, Fatehgarh Sahib vide Memo No. 479 dated 28.04.2015.
- viii. The project site shall confirm to the suitability as prescribed under the provisions laid down under the master plan of respective city/ town. For that, the project proponent shall either to submit the NOC/ land use conformity certificate from Deptt of Town and Country Planning or other concerned Authority under whom jurisdiction, the site falls.
- ix. Besides above, the project proponent shall also comply with siting criteria / guidelines, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of projects.

II. Air quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at

four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous).

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/ fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.
- vi. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
- vii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- viii. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
- ix. The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
- x. The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.
- xi. The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.
- xii. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.

III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 3151 March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.

- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31st March 2012 (applicable to IF/EAF) as amended from time to time.
- vii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- viii. During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio- toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation
- ix. The project proponent shall practice rainwater harvesting to maximum possible extent. The project proponent shall not adopt ground water recharge with in plant premises to avoid underground contamination due to deposition of pollutants on roof top being highly dense industrial area. However, industry may adopt some public place like educational institutions, religious place or monuments for underground recharging or may store and use the rain water within premises or may adopt some village pond for rain water harvesting. As committed, the industry shall adopt pond having 3 acre area located in the Village Talwara, Block Bassi Pathania, Mandi Gobindgarh for harvesting of total rain water @ 82,859 m³ per annum. The stream carrying waste water of the village shall be first treated in the septic tank of adequate capacity to be constructed beside pond and the over flow of the septic tank will be sent to the pond. Pond water will percolate through natural strata (without injection) to augment the ground water and remaining water shall be used for irrigation purposes by pumping method in the nearby fields
- x. The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

IV. Noise monitoring and prevention

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V. Energy Conservation measures

- i. The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.
- ii. Practice hot charging of slabs and billets/blooms as far as possible.

- iii. Ensure installation of regenerative type burners on all reheating furnaces.
- iv. Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- v. Provide the project proponent for LED lights in their offices and residential areas.

VI. Waste management

- i. Used refractories shall be recycled as far as possible.
- ii. Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces
- iii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- iv. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.

VII. Green Belt

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species (having canopy type structure and especially trees not grass) in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant as assured during the presentation. The industry shall ensure that most of the periphery shall be provided with green belt by removing the unwanted/non-productive structures already provided in the existing project near the boundary wall. Canopy trees shall also be planted around the parking area to provide shade to the parked vehicles.
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

VIII. Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

- v. The project proponent shall carry out the following activities and spent an amount as committed during the Public Hearing:

Sr. No.	Expenditure on Public Hearing Action Plan	Expenditure (in Rs.)
1.	Provision of Winter uniforms, interlocking tiles as well as maintenance of Govt. School in Village Talwara	3,00,000/-
2.	Air ticket provided to the girl child of Talwara village	50,000/-
3.	Installation of CCTV camera & lights near the under bridge of the village Talwara	2,00,000/-
	Total	Rs.5,50,000/-

IX. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending atleast minimum amount of Rs. 19.45 Lacs towards following CER activities:

Sr. No.	CER Activities	Annual Expenditure (in Rs.)
1.	Adoption of Govt. Primary School and Govt. Middle School in the Village Talwara to improve its education quality and infrastructure in the form of Library, soalr system, drinking water RO system, washrooms & badminton court etc.	19,45,000/-
	Total	Rs.19,45,000

However, CER activities shall strictly be in accordance with the activities listed out in the OM dated 01.05.2018 and as per the proposal submitted by the project proponent. The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.

- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 411 Lacs towards capital cost and Rs 12.1 Lacs / annum towards recurring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
- vi. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vii. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.

XIX. Validity

- i) This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier

XX. Miscellaneous

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM10, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial

- year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
 - viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
 - ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
 - x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
 - xii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 - xiii. The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
 - xiii. The SEIAA/ Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
 - xiv. The Regional Office of this Ministry and Punjab Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
 - xv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
 - xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

ADDITIONAL SPECIFIC CONDITIONS DECIDED DURING MEETING OF SEAC

- i. The project proponent shall provide STP for treatment of waste water & reutilization of the treated water for core/non-core activities so as to achieve the Zero Liquid Discharge Condition as per the III (iv) of OM dated 09/08/2018 issued by the MoEF&CC for such units.

- ii. The project proponent shall reuse of cooling tower blow down, simultaneously ensuring the standards prescribed for such purge waters. If required, necessary arrangements shall be made to keep this waste stream within the parameters required for reuse.
- iii. The project proponent shall reserve adequate land for loading or unloading of raw material, products, slag, hazardous waste as well as for storage of these materials and the area to be reserved for parking. The area to be reserved by considering the time required for loading and unloading of vehicles for respective activities and minimum/maximum period for which storage of the above material is required in the premises. The areas for the respective activities to be marked on the layout plan.
- iv. The project proponent shall comply with the standard operating procedures and upgradation of suction and treatment arrangement for the secondary emissions as prescribed by the State Pollution Control Board or by CPCB/MoEF&CC.
- v. Whole of the vehicle movement area as well as approach road to the gate /weighing bridge shall be paved with pucca / metalled / cement concrete road to control the dust emissions expected from the vehicle movement.
- vi. The vehicles to be used for loading / unloading purpose shall not be parked along roadside so as to avoid the traffic congestion and dedicated parking place to be provided for the same.
- vii. The project proponent shall adopt green technologies to conserve the water and energy including shearing / cutting / bundling machines. Also to provide abrasive resistant fire bricks in the crucibles to reduce the periodic maintenance & disposal of discarded fire bricks.
- viii. The project proponent shall use natural gas (if available) as substitute fuel wherever possible in the existing industry/ for expansion project.
- ix. The project proponent shall obtain mandatory clearances under Pollution Control laws.
- x. The project proponent shall submit the proof of amount spent towards the commitment made during the public hearing i.e. 2 lakhs have been reserved for installation of CCTV cameras & lights near the under bridge of Village Talwara and Rs. 50,000 has been reserved for air ticket for girl child of Village Talwara.

ADDITIONAL SPECIFIC CONDITIONS DECIDED DURING MEETING OF SEIAA

- i. The project proponent will not install new tubewell, however, water required for proposed expansion will be abstracted from existing borewells located in non-notified area after obtaining permission from CGWA.
- ii. The project proponent will increase the existing power load of 16MW further by 14MW for proposed expansion.

Member Secretary




Endst. No. _____

REGISTERED

Date: _____

A copy of the above is forwarded to the following for information & further necessary action please.

1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office Complex, East Arjun Nagar, New Delhi.
3. The Chairman, Punjab State Power Corporation Ltd, the Mall, Patiala.
4. The Deputy Commissioner, Fatehgarh Sahib.
5. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
6. The Advisor (Environment), Ministry of Environment and Forest, Northern Regional Office, Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:
 - a) Name of the applicant : Sh. Sanjay Gupta
Director
 - b) Phone Number : 9814024996
 - c) Email ID :
7. The Chief Town Planner, Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali
8. Monitoring Cell, Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jorbagh Road, New Delhi - 110003.

-sd/-
Member Secretary

Amrit

PROJECT PHOTOGRAPHS



Photographs showing premises of project





Photographs showing Green area provided within project premises



Photographs showing Parking space



Photographs showing Ambient Air Quality Monitoring System



Photograph showing Sand Bucket (Fire Safety equipment)



PUNJAB POLLUTION CONTROL BOARD
Zonal Office-II, Vatavaran Bhawan, Nabha Road, Patiala - 147001.

Website:- www.ppcb.gov.in

Office Dispatch No : 3267 Registered/Speed Post Date: 7-12-2022
Industry Registration ID: - O20FGS11339 Application No : 19713078

To,

Adarsh Garg
Vill Tatwara, Talwara Road
Mandigobindgarh, Fatehgarhsahib-147301

Subject: Renewal of consent no. CTOW/Varied/FGS/2022/17490520 dated 25/01/2022 granted under the provisions of the Water (Prevention and Control of Pollution) Act, 1974.

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Renewal/FGS/2022/19713078
Date of issue :	06/12/2022
Date of expiry :	30/09/2023
Certificate Type :	Renewal
Previous CTO No. & Validity :	CTOW/Varied/FGS/2022/17490520 From: 25/01/2022 To: 30/09/2022

2. Particulars of the Industry

Name & Designation of the Applicant	Adarsh Garg, (Director)
Address of Industrial premises	Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib-147301
Capital Investment of the Industry	4491.24 lakhs
Category of Industry	Orange
Type of Industry	2063-Steel and steel products using various furnaces like blast furnace /open hearth furnace/induction furnace/arc furnace/submerged arc furnace /basic oxygen furnace /hot rolling reheated furnace
Scale of the Industry	Large
Office District	Fatehgarh Sahib

"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib, 147301


Page 1

This is with reference to the request made by the industry for renewal of consent granted by the Board under the Water (Prevention & Control of Pollution) Act, 1974.

The consent to operate granted to the industry vide no. CTOW/Varied/FGS/2022/17490520 dated 25/01/2022 valid upto 30/09/2022 under the Water (Prevention & Control of Pollution) Act, 1974 is hereby renewed upto 30/09/2023 with the same conditions as mentioned therein and following specific conditions:

1. The industry shall get the green area condition amended from SEIAA, Punjab regarding development of 33% plantation area over additional land purchased nearby the unit for plantation purposes and submit the same to the Board within 3-4 months.
2. The industry shall develop green belt over an area equal to 33% of the plant area, with native tree species in accordance with CPCB guidelines, within 6 months time.
3. The industry shall comply with all the conditions of Environmental clearance granted by Ministry of Environment & Forests under EIA notification dated 14/9/2006.
4. The industry shall fulfill its Corporate Environment Responsibility as per the special condition of the environmental clearance granted to it.

All other contents shall remain unchanged. This letter shall remain appended with the consent issued vide no. CTOW/Varied/FGS/2022/17490520 dated 25/01/2022 to the industry under the Water (Prevention & Control of Pollution) Act, 1974.



(Signature)

06/12/2022

(Om Parkash)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

The Environmental Engineer, Punjab Pollution Control Board, Regional Office, Fatehgarh Sahib. She is requested to ensure the compliance of the consent conditions and submit the report accordingly.

(Signature)

06/12/2022

(Om Parkash)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib, 147301

Page 2



PUNJAB POLLUTION CONTROL BOARD
Invest Punjab, PBIP, Udyog Bhawan, Sector 17, Chandigarh.
Website:- www.ppcb.gov.in

Office Dispatch No : _____ Registered/Speed Post _____ Date: _____
Industry Registration ID: 020FGS11339 Application No : 17490520

To,
Adarsh Garg
Vill Tatwara, Talwara Road
Mandigobindgarh, Fatehgarhsahib-147301

Subject: Grant Varied 'Consent to Operate' an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.

With reference to your application for obtaining Varied 'Consent to Operate' an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit for discharge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Varied/FGS/2022/17490520
Date of issue :	25/01/2022
Date of expiry :	30/09/2022
Certificate Type :	Varied
Previous CTO No. & Validity :	CTOW/Renewal/FGS/2021/15408176 From:07/06/2021 To:31/03/2022

2. Particulars of the Industry

Name & Designation of the Applicant	Adarsh Garg, (Director)
Address of Industrial premises	Oasis Enterprises Private Limited , Village Talwara Talwara Road, Amloh, Fatehgarh Sahib-147301
Capital Investment of the Industry	4551.75 lakhs
Category of Industry	Orange
Type of Industry	2063-Steel and steel products using various furnaces like blast furnace /open hearth furnace/induction furnace/arc furnace/submerged arc furnace /basic oxygen furnace /hot rolling reheated furnace
Scale of the Industry	Large
Office District	Fatehgarh Sahib
Consent Fee Details	Rs. 56,400/- vide UTR no. 765743253 dated 2/11/2021
Raw Materials(Name with quantity per day)	MELTING SCRAP @607Metric Tonnes/Day
Products (Name with quantity per day)	BILLETS/TMT/FLAT/STRUCTURE @576Metric Tonnes/Day
By-Products, if any,(Name with quantity per day)	As per the application form.

"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited ,Village Talwara Talwara Road,Amloh,Fatehgarh Sahib,147301

Page1

Details of the machinery and processes	<i>As per the application form.</i>
Details of the Effluent Treatment Plant	<i>Domestic Effluent @8.0 KLD - onto land for plantation within premises after passing through Septic Tank.</i>
Mode of Disposal	<i>Domestic Effluent @8.0 KLD - onto land for plantation within premises after passing through Septic Tank.</i>
Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974	<i>As prescribed by the CPCB/Board/ MoEF&CC</i>



25/01/2022

(Guneet Sethi)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

1. Senior Environmental Engineer, Zonal Office-2, Patiala
2. Environmental Engineer, Regional Office, Fatehgarh Sahib.



25/01/2022

(Guneet Sethi)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited ,Village Talwara Talwara Road,Amloh,Fatehgarh Sahib,147301

Page2

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
2. The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
3. The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to time.
4. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
5. The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/re-circulation system installed shall be the entire responsibility of the industry.
6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time , without any adverse effect on the environment, in any manner
7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
9. The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
12. The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
17. The industry shall provide online monitoring equipment^s for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board.
20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.

23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
 - (i) Once in Year for Small Scale Industries.
 - (ii) Four in a Year for Large/Medium Scale Industries.
 - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.
30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
 - (i) Where unavoidable to prevent loss of life or some property damage or
 - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
31. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.
33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.
34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes
35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.
36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period.
37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.
39. The industry shall ensure that the effluent discharged by it is toxicity free.
40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.

42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Board.

B. SPECIAL CONDITIONS

1. The industry shall provide Green belt developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines within 6 months.
2. The industry shall comply with all the conditions mentioned in Board's letter no. 4096 dated 17/12/2020, vide which, directions issued to PSPCL for disconnection of the electric supply available to the industry were deferred.
3. The industry shall comply with all the conditions on which it was granted environmental clearance by Ministry of Environment & Forests under EIA notification dated 14/9/2006.
4. The industry shall get its stack emission sampling carried out from Board's lab, within 01 month.
5. The industry shall get 6.4 tonnes of hazardous waste, i.e. APCD dust, which is lying in the premises of the industry, lifted from the authorised recycler, within 01 month and shall submit the compliance of the same in the Regional office of the Board, within 07 days thereafter.
6. This consents are granted on the basis of undertaking submitted by the industry regarding the court case as mentioned in the environmental clearance granted by Ministry of Environment & Forests under EIA notification dated 14/9/2006. The Board will be at liberty to cancel / revoke consents under said Acts, if any statement of the undertaking is found wrong or false in future.
7. The industry shall fulfill its corporate environment responsibility as per the special condition of the environmental clearance granted to it.
8. The industry shall submit its production record as maintained in Form-IV every month to the Board.
9. The industry shall comply with guidelines issued by PWRDA.
10. The industry shall not generate and discharge any kind of trade effluent.
11. The industry shall not start wet process without prior approval of the Board.
12. The industry shall provide stabilized its vehicular movement area within industry/entry/exit points, to suppress the dust emissions within one month.
13. The industry shall obtain prior permission from the Board, before change of any of its product/production capacity of the plant.
14. The entrepreneur/industry shall obtain necessary statutory permissions /clearances from all other concerned departments.
15. The industry shall ensure that the activities of unit does not create any nuisance in the surrounding areas and no public complaints are received
16. The Consent is being issued to the industry based upon the documents/ information submitted by it alongwith the online application form. The Board would be at liberty to take penal action against the industry and its responsible/ concerned person(s) in case information/document is detected as incorrect/false/misleading at any point of time.
17. In case the industry fails to comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 and/or any other environmental law applicable to the project and Rules, Circulars & Directions issued by the Board from time to time, action as deemed fit shall be taken against the industry.



25/01/2022

(Guneet Sethi)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib, 147301

Page 6



PUNJAB POLLUTION CONTROL BOARD

Zonal Office-II, Vatavaran Bhawan, Nabha Road, Patiala - 147001.

Website:- www.ppcb.gov.in

Office Dispatch No : 3269

Registered/Speed Post

Date: 7-12-2022

Industry Registration ID: O20FGS11339

Application No : 19713096

Adarsh Garg
Vill Tatwara, Talwara Road
Mandigobindgarh, Fatehgarhsahib-147301

Subject: Renewal of consent no. CTOA/Varied/FGS/2022/17490004 dated 25/01/2022 granted under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	CTOA/Renewal/FGS/2022/19713096
Date of issue :	06/12/2022
Date of expiry :	30/09/2023
Certificate Type :	Renewal
Previous CTO No. & Validity :	CTOA/Renewal/FGS/2022/19713096 From: 25/01/2022 To: 30/09/2022

2. Particulars of the Industry

Name & Designation of the Applicant	Adarsh Garg (Director)
Address of Industrial premises	Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib-147301
Capital Investment of the Industry	4491.24 lakhs
Category of Industry	Orange
Type of Industry	2063-Steel and steel products using various furnaces like blast furnace/open hearth furnace/induction furnace/arc furnace/submerged arc furnace/basic oxygen furnace/hot rolling reheated furnace
Scale of the Industry	Large
Office District	Fatehgarh Sahib

"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib, 147301

Page 1


This is with reference to the request made by the industry for renewal of consent granted by the Board under the Air (Prevention and Control of Pollution) Act, 1981.

The consent to operate granted to the industry vide no. CTOA/Varied/FGS/2022/17490004 dated 25/01/2022 valid upto 30/09/2022 under the Air (Prevention and Control of Pollution) Act, 1981 is hereby renewed upto 30/09/2023 with the same conditions as mentioned therein and following specific conditions:

1. The industry shall get the green area condition amended from SEIAA, Punjab regarding development of 33% plantation area over additional land purchased nearby the unit for plantation purposes and submit the same to the Board within 3-4 months.
2. The industry shall develop green belt over an area equal to 33% of the plant area, with native tree species in accordance with CPCB guidelines, within 6 months time.
3. The industry shall comply with all the conditions of Environmental clearance granted by Ministry of Environment & Forests under EIA notification dated 14/9/2006.
4. The industry shall fulfill its Corporate Environment Responsibility as per the special condition of the environmental clearance granted to it.

All other contents shall remain unchanged: This letter shall remain appended with the consent issued vide no. CTOA/Varied/FGS/2022/17490004 dated 25/01/2022 to the industry under the Air (Prevention & Control of Pollution) Act, 1981.

PUNJAB



06/12/2022

(Om Parkash)
Environmental Engineer

For & on behalf

of


(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

The Environmental Engineer, Punjab Pollution Control Board, Regional Office, Fatehgarh Sahib. She is requested to ensure the compliance of the consent conditions and submit the report accordingly.



06/12/2022

(Om Parkash)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib, 147301

Page 2



PUNJAB POLLUTION CONTROL BOARD
Invest Punjab, PBIP, Udyog Bhawan, Sector 17, Chandigarh.
Website:- www.ppcb.gov.in

Office Dispatch No : _____ Registered/Speed Post _____ Date: _____
Industry Registration ID: O20FGS11339 _____ Application No : 17490004

To,
Adarsh Garg
Vill Tatwara, Talwara Road
Mandigobindgarh, Fatehgarhsahib-147301

Subject: Grant Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.

With reference to your application for obtaining Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	CTOA/Varied/FGS/2022/17490004
Date of issue :	25/01/2022
Date of expiry :	30/09/2022
Certificate Type :	Varied
Previous CTO No. & Validity :	CTOA/Renewal/FGS/2021/15408190 From:07/06/2021 To:31/03/2022

2. Particulars of the Industry

Name & Designation of the Applicant	Adarsh Garg, (Director)
Address of Industrial premises	Oasis Enterprises Private Limited , Village Talwara Talwara Road, Amloh, Fatehgarh Sahib-147301
Capital Investment of the Industry	4551.75 lakhs
Category of Industry	Orange
Type of Industry	2063-Steel and steel products using various furnaces like blast furnace /open hearth furnace/induction furnace/arc furnace/submerged arc furnace /basic oxygen furnace /hot rolling reheated furnace
Scale of the Industry	Large
Office District	Fatehgarh Sahib
Consent Fee Details	Rs. 56,400/- vide UTR no. 261288395 dated 2/11/2021
Raw Materials (Name with Quantity per day)	MELTING SCRAP @607Metric Tonnes/Day
Products (Name with Quantity per day)	BILLETS/TMT/FLAT/STRUCTURE @576Metric Tonnes/Day

"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited ,Village Talwara Talwara Road,Amloh,Fatehgarh Sahib,147301

Page1

By-products, if any, (Name with Quantity per day)	<i>As per the application form.</i>
Details of the machinery and process	<i>As per the application form.</i>
Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.	<i>Induction furnace of capacity 20 TPH- Electrically operated Induction furnace of capacity 12 TPH- Electrically operated DG set of capacity 500 KVA - HSD as fuel</i>
Type of Air Pollution Control Devices to be installed	<i>Induction furnace of capacity 20 TPH- Bag filter house as APCD. Induction furnace of capacity 12 TPH- Bag filter house as APCD.</i>
Stack height provided with each boiler/thermo heater/Furnace etc.	<i>Induction furnace of capacity 20 TPH - 25m(Ground Level)/3m(Roof Level) Induction furnace of capacity 12 TPH - 25m(Ground Level)/3m(Roof Level) DG set of capacity 500 KVA - canopies alongwith Stack of height as per following formula: $H = h + 0.2 (KVA)^{0.5}$ where h = height of the building in meters where the generator set is installed.</i>
Sources of emissions and type of pollutants	<i>Induction furnace of capacity 20 TPH - SPM Induction furnace of capacity 12 TPH - SPM DG set of capacity 500 KVA - SPM</i>
Standards to be achieved under Air(Prevention & Control of Pollution) Act, 1981	<i>As prescribed by the CPCB/Board/ MoEF&CC</i>



25/01/2022

(Guneet Sethi)
Environmental Engineer

*For & on behalf
of*

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

1. Senior Environmental Engineer, Zonal Office-2, Patiala
2. Environmental Engineer, Regional Office, Fatehgarh Sahib.

"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib, 147301

Page2



25/01/2022

(Guneet Sethi)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited, Village Talwara Talwara Road, Amloh, Fatehgarh Sahib, 147301

Page 3

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
2. The industry shall apply for renewal /extension of consent at least two months before expiry of the consent.
3. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which, the consent shall be cancelled / revoked.
4. The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
5. The authorized fuel being used shall not be changed without the prior written permission of the Board.
6. The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
7. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (D_e) shall be calculated from the following equation to determine upstream, downstream distance:-

$$D_e = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.
 - ii) The sampling port shall be 7 to 10 cm in diameter
8. The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
 9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

(i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula $H = 14 Q_g^{0.3}$ or $H = 74 (Q_p)^{0.24}$ Where Q_g = Quantity of SO ₂ in Kg/hr. Q_p = Quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

Capacity of diesel generating set	Height of the Stack	
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt.
100-150 KVA	-do-	+ 2.5 mt.
150-200 KVA	-do-	+ 3.0 mt.
200-250 KVA	-do-	+ 3.5 mt.
250-300 KVA	-do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation.
11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or re-erected except with the prior approval of the Board.
12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision of notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF under Environment (Protection) Act, 1986.
13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/92-3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-
In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall make the necessary arrangement to comply with the above notification.
14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
16.
 - a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.
 - b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.

Steam Generating capacity A.	Required particulate matter B.	
<i>Area upto 5 Km from Other than 'A' class Other than the periphery of I and Class-II town</i>		
<i>Less than 2 ton/hr.</i>	800 mg/NM3	1200 mg/NM3
<i>2 ton to 10 ton/hr.</i>	500 mg/NM3	1000 mg/NM3
<i>Above 10 ton to 15 ton/hr</i>	350 mg/NM3	500 mg/NM3
<i>Above 15 ton/hr</i>	150 mg/NM3	150 mg/NM3

All emissions normalized to 12% carbon dioxide.

17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, without any adverse effect on the environment, in any manner.
18. The air pollution control equipments shall be kept at all time in good running condition and;

- (i) All failures of control equipments.
 - (ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. 'Shall be intimated through fax to the concerned Regional Office as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution Rules, 1983'.
19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
 20. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
 21. The industry shall comply with the conditions imposed by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
 22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
 - (i) Once in Year for Small Scale Industries.
 - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
 23. The industry shall maintain the following record to the satisfaction of the Board :-
 - (i) Log books for running of air pollution control devices or pumps/motors used for it.
 - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
 - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
 24. The industry will install the separate energy meter for running pollution control devices and shall maintain record with respect to operation of air pollution control device so as to satisfy the Board regarding the regular operation of air pollution control device and monthly reading / record may be sent to the Board by the fifth of the following month.
 25. The industry shall provide online monitoring system as applicable, for in stack emission and shall maintain the record of the same for inspection of the Board Officers.
 26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
 27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.
 28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
 29. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
 30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises/outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.
 31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.
 32. The industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/ liquids from the vessels, mechanical equipment's etc, which are likely to cause environmental pollution.
 33. The industry shall not change or alter the manufacturing process(es) and fuel so as to change the quality/quantity of emissions generated without the prior permission of the Board.
 34. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
 35. The industry shall obtain and submit Insurance cover under the Public Liability Insurance Act, 1991.
 36. The industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

37. The industry shall comply with the code of practice as notified by the Government/Board for the type of industries where the siting guidelines / Code of Practice have been notified.
38. The industry shall not cause any nuisance/traffic hazard in vicinity of the area
39. The industry shall ensure that the noise & air emission from D.G. sets do not exceed the standards prescribed for D.G. sets by the Ministry of Environment & Forests, New Delhi.
40. The industry shall ensure that there will not be significant visible dust emissions beyond the property line
41. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry.
42. The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board.

B. SPECIAL CONDITIONS



1. The industry shall provide Green belt developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines within 6 months.
2. The industry shall comply with all the conditions mentioned in Board's letter no. 4096 dated 17/12/2020, vide which, directions issued to PSPCL for disconnection of the electric supply available to the industry were deferred.
3. The industry shall comply with all the conditions on which it was granted environmental clearance by Ministry of Environment & Forests under EIA notification dated 14/9/2006.
4. The industry shall get its stack emission sampling carried out from Board's lab, within 01 month.
5. The industry shall get 6.4 tonnes of hazardous waste, i.e. APCD dust, which is lying in the premises of the industry, lifted from the authorised recycler, within 01 month and shall submit the compliance of the same in the Regional office of the Board, within 07 days thereafter.
6. The industry shall comply with the guidelines/SOPs provided by PSCST, Chandigarh in the effective operation of APCD.
7. This consents are granted on the basis of undertaking submitted by the industry regarding the court case as mentioned in the environmental clearance granted by Ministry of Environment & Forests under EIA notification dated 14/9/2006. The Board will be at liberty to cancel / revoke consents under said Acts, if any statement of the undertaking is found wrong or false in future.
8. The industry shall fulfill its corporate environment responsibility as per the special condition of the environmental clearance granted to it.
9. The industry shall submit its production record as maintained in Form-IV every month to the Board.
10. The industry shall comply with guidelines issued by PWRDA.
11. The industry shall provide stabilized its vehicular movement area within industry/entry/exit points, to suppress the dust emissions within one month.
12. The industry shall make sure no black smoke is generated at any time from the stack of the industry.
13. The industry shall obtain prior permission from the Board, before change of any of its product/ production capacity of the plant.
14. The entrepreneur/industry shall obtain necessary statutory permissions /clearances from all other concerned departments.
15. The industry shall ensure that the activities of unit does not create any nuisance in the surrounding areas and no public complaints are received
16. The Consent is being issued to the industry based upon the documents/ information submitted by it alongwith the online application form. The Board would be at liberty to take penal action against the industry and its responsible/ concerned person(s) in case information/document is detected as incorrect/false/misleading at any point of time.
17. In case the industry fails to comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 and/or any other environmental law applicable to the project and Rules, Circulars & Directions issued by the Board from time to time, action as deemed fit shall be taken against the industry.



25/01/2022

(Guneet Sethi)
Environmental Engineer

For & on behalf
of
(Punjab Pollution Control Board)



"This is computer generated document from OCMMS by PPCB"

Oasis Enterprises Private Limited ,Village Talwara Talwara Road,Amloh,Fatehgarh Sahib,147301

Page9



PUNJAB POLLUTION CONTROL BOARD
Invest Punjab, PBIP, Udyog Bhawan, Sector 17, Chandigarh.
Website:- www.ppcb.gov.in

Office Dispatch No :	Registered/Speed Post	Date:
Industry Registration ID : O20FGS11339		Application No : 18305819

To,
ADARSH GARG
VILL TATWARA, TALWARA ROAD
MANDIGOBINDGARH,FATEHGARHSAHIB-147301

Subject: **Fresh Authorization for operating a facility for Collection, Generation, Storage, Disposal, of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .**

ADARSH GARG of Oasis enterprises private limited is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Storage, Disposal, on the premises situated at Village talwara talwara road, Amloh, Fatehgarh sahib-147301

1. Particulars of Authorization granted to the Industry

Authorization No	HWM/Fresh/FGS/2022/18305819
Date of issue :	20/06/2022
Date of expiry :	31/03/2027
Authorization Type :	Fresh


2. Particulars of the Industry

Name & Designation of the Applicant	ADARSH GARG, (DIRECTOR)
Address of Industrial premises	Oasis enterprises private limited , Village talwara talwara road, Amloh,Fatehgarh sahib-147301
Capital Investment of the Industry	4551.75 lakhs
Category of Industry	Orange
Type of Industry	2063-Steel and steel products using various furnaces like blast furnace /open hearth furnace/induction furnace/arc furnace/submerged arc furnace /basic oxygen furnace /hot rolling reheated furnace
Scale of the Industry	Large
Office District	Fatehgarh sahib

3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annum)
Schedule I 5.1-Used or spent oil	Generation , Collection , Storage , Disposal	0.020 KL/Annum
Schedule I 35.1-Exhaust Air or Gas cleaning residue	Generation , Collection , Storage , Disposal	270 T/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.



20/06/2022

**(Guneet Sethi)
Environmental Engineer**

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

1. Senior Environmental Engineer, Zonal Office-2, Patiala
2. Environmental Engineer, Regional Office, Fatehgarh Sahib.

20/06/2022

"This is computer generated document from OCMMS by PPCB"

Oasis enterprises private limited ,Village talwara talwara road,Amloh,Fatehgarh sahib,147301

Page2

(Guneet Sethi)
Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)



"This is computer generated document from OCMMS by PPCB"

Oasis enterprises private limited ,Village talwara talwara road,Amloh,Fatehgarh sahib,147301

Page3

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on *Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty*.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

B. SPECIFIC CONDITIONS

1. *The industry shall get hazardous waste under category 35.1 lifted to authorized recycling unit, within 01 month and shall submit compliance of the same to Regional Office, FGS, within 07 days thereafter.*
2. *The industry shall store its hazardous wastes generated from different manufacturing activities/ otherwise, within its premises in an environmentally sound manner as per provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.*
3. *The industry shall not generate any other category of hazardous waste from its process(es), without prior written authorization of the Board.*
4. *The industry shall ensure regular lifting of hazardous waste and also ensure that the quantity of hazardous waste generated per year shall not be stored beyond 90 days (extendable upto 180 days) in its premises at any time.*
5. *The industry shall handle the hazardous waste(s) strictly in accordance with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and guidelines issued by Central Pollution Control Board / Ministry of Environment & Forests and Climate Change, New Delhi.*
6. *In case the industry fails to comply with the above conditions of authorization as well as provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and/or any other environmental law applicable to the industry and Rules, Circulars & Directions issued by the Board from time to time, the Board shall constrained to take action against the industry under the provisions of the Pollution Control Laws.*



20/06/2022

(Guneet Sethi)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



"This is computer generated document from OCMMS by PPCB"

Oasis enterprises private limited ,Village talwara talwara road,Amloh,Fatehgarh sahib,147301

Page5



Completion Certificate

It is certify that the 4 No's of AAQMS (Ambient Air Quality Monitoring Systems) installed by M/s Evapo Tech Pvt Ltd at M/s Oasis Enterprises Pvt Ltd Talwara Road, Mandi Gobindgarh-147301 are complete in aspects and will achieve the monitoring efficiency specified by Punjab Pollution Control Board/CPCB.

Thanking You

(Authorized Signatory)

For Evapo Tech Pvt Ltd

5-C, Model Town, Patiala (PB) – 147001

Phone – 9814643041

E-mail – anil@evapotech.com

Date : 24-Sep-2022



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)



TEST REPORT

ULR No. : NA		Test Report No. : NWAM201023NA050	
Type of Sample : Water (Ground Water)		Date of Reporting : 25/10/2023	
Customer	Oasis Enterprises Pvt. Ltd. Located at Talwara Road, Vill Talwara, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab	Work Order No. & Date	Email Confirmation DT:04.10.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS:17614 (P-1) 2021	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	20/10/2023	Date of Receipt of Sample	20/10/2023
Sampling Location	Borewell No.1 (Project Site)	Testing Location	Permanent Facility
Testing Protocol	IS:10500-2012 (IInd Revision)	Period of Analysis	20/10/2023 To 25/10/2023
Sample Description	Clear, colourless liquid.		
Packing, Markings, Seal & Qty.	2 litre Plastic & 500ml Glass Bottle Marked O/20/01		

RESULTS

I -Chemical Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Colour	Colour Units	BDL	5	15	IS: 3025 (Part-4)CI 2.0 [DL- 5 Colour Units]
2	Odour	-	Agreeable	Agreeable	Agreeable	IS:3025 (Part-5)
3	pH @ 25°C	-	7.52	6.5-8.5	No relaxation	IS:3025 (Part-11) [DL- 2]
4	Taste	-	Agreeable	Agreeable	Agreeable	IS: 3025 (Part-8)
5	Turbidity	NTU	BDL	1	5	IS 3025 (Part-10) (DL- 1 NTU)
6	Chloride as Cl	mg/l	14	250	1000	IS: 3025 (Part-32) [DL- 1 mg/l]
7	Iron as Fe.	mg/l	0.19	1.0	No relaxation	USEPA 3015A [DL- 0.001 mg/l]
8	Total hardness as CaCO ₃	mg/l	260	200	600	IS :3025 (Part-21) [DL- 1 mg/l]

II -Biological Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Total coliform	Present or Absent/100 ml	Absent	Absent	-	IS:15185
2	E.coli.	Present or Absent/100	Absent	Absent	-	IS:15185

Ritika Kumari

Authorized Signatory-Biological

Umesh Kumar

Authorized Signatory-Chemical



ULR No. : NA		Test Report No. : NWAM201023NA050	
Type of Sample : Water (Ground Water)		Date of Reporting : 25/10/2023	
2		ml	

Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

****End of Report****

Ritika Kumari
Authorized Signatory-Biological



Umesh Kumar
Authorized Signatory-Chemical



TEST REPORT

ULR No. : NA		Test Report No. : NSOM201023NA051	
Type of Sample : Soil.		Date of Reporting : 25/10/2023	
Customer	Oasis Enterprises Pvt. Ltd. Located at Talwara Road, Vill Talwara, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab	Work Order No. & Date	Email Confirmation DT:04.10.2023
		Customer reference No. (If any)	NA
Sampling Protocol	USEPA/600/R-92/128	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	20/10/2023	Date of Receipt of Sample	20/10/2023
Sampling Location	Park (Project Site)	Testing Location	Permanent Facility
Testing Protocol	IS Method	Period of Analysis	20/10/2023 To 25/10/2023
Sample Description	Brown coloured soil.		
Packing, Markings, Seal & Qty.	10 Kg Poly Bag Marked O/20/01		

RESULTS

I. Chemical Testing

1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Test Method
1	pH	--	8.12	IS:2720 (Part-26) Cl-2, [DL- 2]
2	Conductivity	mmhos/cm	0.305	IS:14767 [DL- 0.1 mmhos/cm]
3	Moisture Content	%	7.8	IS:2720 (Part-II) Sec-1 [DL- 0.1 %]
4	Organic Matter	%	1.23	IS: 2720 (Part XXII) Sec-1, [DL- 0.1 %]
5	Texture	--	Sandy Loam	IS:2720 (Part-4) Cl 2,4
6	Bulk Density	gm/cc	1.49	IS: 2720 (Part-7) [DL- 1 gm/cc]

Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

End of Report





TEST REPORT

ULR No. : NA		Test Report No. : NAIM211023NA019	
Type of Sample : Ambient Air Quality		Date of Reporting : 25/10/2023	
Customer	Oasis Enterprises Pvt. Ltd. Located at Talwara Road, Vill Talwara, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab	Work Order No. & Date	Email Confirmation DT:04.10.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	20/10/2023	Date of Receipt of Sample	21/10/2023
Sampling Location	Project Site (Near Security Office)	Period of Analysis	21/10/2023 To 25/10/2023
Testing Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Environmental Conditions	Clear sky
Testing Location	On Site & Permanent Facility		

RESULTS

I-Chemical Testing

1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Method
1	Respirable Suspended Particulate Matter (as PM10)	µg/m ³	140	100	IS: 5182 (Part-23)
2	Particulate Matter (as PM2.5)	µg/m ³	85	60	Lab SOP: EL/SOP/AAQ/01, Issue No. 03, Jan 01
3	Sulphur Dioxide (as SO ₂)	µg/m ³	11	80	IS: 5182 (Part-2)
4	Nitrogen Dioxide (as NO ₂)	µg/m ³	24	80	IS: 5182 (Part-6)
5	Ammonia (as NH ₃)	µg/m ³	20	400	Lab SOP: EL/SOP/AAQ/02, Issue No. -03, Jan 01
6	Ozone (as O ₃)	µg/m ³	25	180	IS: 5182 (Part-9)
7	Carbon Monoxide (as CO),	mg/m ³	0.81	04	IS: 5182 (Part-10), NDIR Method

Remarks : NA

OTHER INFORMATION

Abbreviation :

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report



Authorized Signatory-Chemical



TEST REPORT

ULR No. : NA		Test Report No. : NNOM211023NA020	
Type of Sample : Ambient Noise		Date of Reporting : 25/10/2023	
Customer	Oasis Enterprises Pvt. Ltd. Located at Talwara Road, Vill Talwara, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab	Work Order No. & Date	Email Confirmation DT:04.10.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS 9989-1989, RA 2008.	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	20/10/2023	Date of Receipt of Sample	21/10/2023
Sampling Location	Project Site (Near Security Office)	Period of Analysis	21/10/2023 To 21/10/2023
Testing Protocol	IS 9989-1989, RA 2008.		
Testing Location	On Site & Permanent Facility		

RESULTS

I- Chemical Testing

1. Atmospheric Pollution (Ambient Noise Level)

S.No.	Test Parameters	Units	Results	Method
1	Ambient Day Time Noise Levels	dB(A)	65.1	LAB SOP: EL/SOP/AN/01, Issue No.-04, Nov 10

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

End of Report



Umesh Kumar
Authorized Signatory-Chemical

MEMBERSHIP AND WASTE OFFTAKE AGREEMENT

This MEMBERSHIP AND WASTE LIFTING AGREEMENT (hereinafter referred to as "the agreement") made on this ...10..... Day of this month ...October.....Of the year ...2022.....by the amongst -:

M/S JOGINDRA CASTINGS PVT. LTD. having its office at G.T. Road, Sirhind Side, Mandi Gobindgarh (herein after called the "Operator" which expression shall unless repugnant to the context or meaning thereof, mean and include its successors and permitted assigns) represented by Sh. Sanjeev Kumar S/o Sh. Bhagwan Dass, duly authorized by the board of Directors Resolution dated 1st October, 2022 .

OASIS ENTERPRISES (P) LTD.
SIRHIND SIDE,
MANDI GOBINDGARH-147301 (PB.)

AND

(Herein referred to as the "Generator", which expression shall unless repugnant to context or meaning thereof, mean and include its successors and permitted assigns) represented by Sh. ...Sanjay Gupta.....S/o Sh. ...Manojat Rai Gupta.....duly authorized by Board of Directors.

WHEREAS

1. The Operator is recycler of Hazardous waste category 35.1 i.e. APCD Dust duly authorized by Punjab Pollution Control Board having authorization of Collection, Storage, Transportation, Reception, Recycling, Treatment and Disposal of the Hazardous waste through its authorization No. HWM/Fresh/FGS/2022/19571887, issued on dated 29/09/2022 valid till 28/09/2027.
2. The Generator desires to get its Hazardous Waste i.e. APCD Dust, being generated at their production unit (s) mentioned above as per their valid authorization (Authorization No. HWM/Fresh/FGS/2022/18305819.....) Dated.....20.06/2022.....Valid till date.....31/03/2027.....) From Punjab Pollution Control Board to be collected, Transported, Treated, Stored, and Disposed of by Utilizing the services of Operator has agreed, on the terms and conditions contained in this Agreement.


For JOGINDRA CASTINGS PVT. LTD.



Auth. Sign

SIGNATURE ON BEHALF OF OPERATOR

For OASIS ENTERPRISES (P) LTD



Director

SIGNATURE ON BEHALF OF GENERATOR

NOW THEREFORE, in consideration of the premises and of mutual covenant and obligations hereinafter set forth, the parties hereto agree as follows:

1. DEFINITIONS:

In this agreement including the recitals hereof, unless the context otherwise requires, the following words and abbreviations shall have the meaning as under:

"**Agreement**" means this Membership and Waste Lifting Agreement, including the schedules hereto, as of the date hereof as may be amended or supplemented in accordance with the provisions hereof.

"**HWMF**" or "**Facility**" means Hazardous Waste Management Facility installed by the Operator at G.T. Road, Sirhind Side, Mandi Gobindgarh, District Fatehgarh Sahib (Punjab).

"**Rules**" means the Hazardous Waste and other Waste (Management and Transboundary Movement) Rules, 2016.

"**Manifest**" means the manifest prepared in form 10 to the Rules pursuant to the provisions of Rule 7 of the Rules.

"**PPCB**" means Punjab Pollution Control Board.

"**Production Unit**" means the unit of the generator, where the Hazardous Waste is being generated.

"**Party**" means either of the parties of this agreement.

"**CPCB**" means Central Pollution Control Board

"**MOEF**" means Ministry of Environment and Forest

"**APCD**" means Air Pollution Control Device

2. SCOPE OF SERVICES:

I. The Operator having authorization and facility, for Collection, Storage, Transportation, Reception, Recycling, Treatment and Disposal of the Hazardous waste.

II. The main mode of disposal shall be recycling / reprocessing the Hazardous Waste and extracting zinc from it i.e. APCD Dust.

For JOGINDRA CASTINGS PVT. LTD.



Auth. Sign.

SIGNATURE ON BEHALF OF OPERATOR

For OASIS ENTERPRISES (P) LTD



Director

SIGNATURE ON BEHALF OF GENERATOR

3. QUALITY PARAMETERS OF APCD DUST

I. Zn more than 20% (for details, please refer of Clause 6 of the agreement)

II. Moisture less than 1 %

III. Dust not older than 15 days

IV. Dust should be filled directly into the HDPE bags.

V. Bags should be properly sealed.

VI. Dust should be stored in a cool, dry and covered room.

VII. At the time of loading, the dust should not catch moisture

4. OBLIGATIONS OF THE GENERATOR:

1. Process Detail:

The generator, in accordance with the rules, shall provide the entire process details, which lead to generation of Hazardous Waste i.e. APCD Dust, to the operator for the purpose of determining the waste characteristics and to decide parameters for Comprehensive Analysis, as well as its final path way of treatment, storage and disposal before signing the Agreement. In case of any change in process, the generator shall intimate the Operator before sending the Hazardous Waste i.e. APCD Dust from the changed process to the facility.

II. Waste Quantities:

The Generator shall declare the Hazardous Waste quantities as per the HWM Authorization granted at the time of signing the agreement, in the Format as Annexure-I to this agreement and thereafter on annual basis, at least 15 days before the start of the next year. In case of any change in the waste quantities, the generator shall give the revised details in the aforesaid format, within 7 days of such change.

III. Categorization of waste:

The responsibility for categorization of hazardous waste i.e. APCD Dust shall be with the Generator, however the Operator shall extend all the possible help and guidance to the Generator for categorization of wastes its detailed characterization. In event of any dispute between the

For JOGINDRA CASTINGS PVT. LTD.


Auth. Sign.

SIGNATURE ON BEHALF OF OPERATOR

For OASIS ENTERPRISES (P) LTD.


Director

SIGNATURE ON BEHALF OF GENERATOR

Operator and Generator, on characterization of waste, process of generation, Stabilization etc. Mutually an independent expert will be appointed who shall carry out the necessary tests and provide the necessary clarifications. The fees and the cost of the Independent Expert shall be borne by the Generator. The Result of such tests and clarifications by the independent Expert shall be final and binding on the operator and Generators.

IV. Safety Information:

The safety of the community (human, flora and fauna) during transportation is of prime importance and thus, safety information will be provided by the Generator in form-8 as amended from time to time, as attached to the Rules. Further, the Generator shall give to the Operator such information as may be specified by PPCB or as may be required by any statutory body.

V. Packaging and Labeling:

The Generator shall ensure that the Hazardous waste is packaged in a manner suitable for storage and transport and the labeling and packaging shall be easily visible and be able to withstand physical conditions and climate factors. Such packaging and labeling should be in full compliance of the Rules.

VI. Manifest:

The Generator shall provide the Manifest to the Transporter as per the Rules. Upon receipt of a manifested waste, the Operator shall determine if the manifest accurately described the waste it accompanies. Any discrepancy in weight (for shipment over 3%), piece count (for batch or containerized waste shipments, one container per truck load), or waste type are considered significant and should be noted on all copies of the Manifest at the time of signatures. The operator shall try to reconcile the discrepancy with the transporter and Operators promptly. Any discrepancy not resolved within 15 days of waste receipts shall be reported by Operator to PPC with an explanatory letter and a copy of manifest.

VII. Transport Emergency (TREM) Card:

The generator shall provide the TREM Card, separately for the waste type, to Operator/Transporter of the waste in Form -9, as amended from time to time, attached to the rules.

VIII. Comprehensive Waste Analysis:

For JOGINDRA CASTINGS PVT. LTD.

 Auth. Sign.
 SIGNATURE ON BEHALF OF OPERATOR

For OASIS ENTERPRISES (P) LTD

 Director
 SIGNATURE ON BEHALF OF GENERATOR

The Generator shall provide Comprehensive Waste Analysis before signing of the agreement on parameters identified as could be applicable based on the material characteristics / process. The generators shall, if so requested by the Operator, provide a representative sample of the waste for the purpose of its detailed chemical and physical analysis.

The comprehensive based analysis report shall be used to determine the disposal pathway based on the waste characteristics and as per the Rules and guidelines issued by the Ministry of the Environment and forest, Central Pollution Control Board, Punjab Pollution Control Board and other statutory regulation in Respect thereto. Disposal pathway shall be mutually agree with Generator and Operator and shall form the basis for tariff. The Generator shall provide fresh comprehensive waste analysis reports in one or more of the following occasions:

- a) There is a change in waste characteristics.
- b) There is a change in manufacturing process;
- c) There is change in product mix/raw material mix;
- d) An otherwise known reason for change in waste quantities and characteristics;
- e) A period of two years has lapsed since the submission of the previous comprehensive waste analysis.

IX. Declaration:

The Generator shall give a specific declaration whether or not the Hazardous Waste contains Explosive/Ignitable/Corrosive/Toxic/Odor and other such compounds, which could be detrimental to the environment safety of the facility and to the persons handling it in any manner. The Generator shall be totally responsible for any consequences of non-declaration and the Operator deserves all rights to take any suitable action under the law which shall be binding on the Generator. Provided that the Operator reserves the right not to accept such waste which contains Explosive/Ignitable/Corrosive/Toxic/Odor and other such compounds, at its discretion and also without completion of the total formalities of understanding the waste and its safe handling transport and disposal mechanisms.

The Generator is responsible to segregate/Store/accumulate/Fill/Load the Hazardous Waste in the container provided by the Operator in the sanitary manner as per the Rules and so also container area should be accessible to the Operator vehicle to come and to collect the container.

For JOGINDRA CASTINGS PVT. LTD.



Auth. Sign.

SIGNATURE ON BEHALF OF OPERATOR

For OASIS ENTERPRISES (P) LTD.



Director

SIGNATURE ON BEHALF OF GENERATOR

X. The Operator shall return to the Generators all non-conforming waste that is received by it/send to the facility. The cost of transportation of such non-conforming waste from the facility to the premises of the generator shall be borne by the generator.

XI. In case a waste is classified as explosive in nature the fact has to be informed to the Operator. Detailed information on its characteristics and safe handling practices shall be furnished in advance to the Operator. In case no information is provided or information is held back and in the event of any explosion or accident during transportation and/or during handling the Generator shall be solely responsible for all associated direct and indirect liabilities.

XII. In the event of false information to be Operator of any nature is associated direct and indirect liabilities are the responsibility of the Generator.

XIII. The Generator shall be bound to lift APCD Dust only to authorized party from Punjab Pollution Control Board; breach of contract will impose heavy penalties on Generator.

5. OBLIGATIONS OF THE OPERATOR:

I. The Operator shall accept hazardous wastes at the facility only from the Generators who are the registered members and have appropriate authorization from the PPCB and all other statutory authorities. The Operator shall plan the schedule for collection, treatment, transportation and disposal of waste as per the mandate given by the Generator and as per the Rules and guidelines issued by the MOEF, CPCB, PPC and other statutory regulation in respect thereto.

II. The Operator shall provide to the Generator at its own cost the assistance and facilitation as may reasonably be requested by the Generators, in the classification, segregation and testing of hazardous wastes generated at Operational site of the generators provided that the generators shall be responsible for informing the Operator about any change in process that result/may result in a change in the characteristics of the hazardous waste.

III. The Operator shall not accept hazardous waste of a type and variety for which it does not have the requisite authorization or capacity.

6. TARIFF & OTHER CONDITIONS:

I. The Operator shall pay to the Generator, in respect of APCD Dust lifted based on the content of Zn as under:

For JOGINDRA CASTINGS PVT. LTD.



Auth. Sign.

SIGNATURE ON BEHALF OF OPERATOR

For OASIS ENTERPRISES (P) LTD



Director

SIGNATURE ON BEHALF OF GENERATOR

Zn content in APCD Waste	Rate to be paid (per Ton)
Above 35%	Rs. 15000/-
Above 25%	Rs. 10000/-
Above 20%	Rs. 5000/-
Below 20%	Not Lifting/No Rate

II. The above price shall be finalized on the basis of results / reports of sample testing done at the Operators' end.

III. In case Zn content is less than 20%, there shall be no lifting of APCD Waste.

IV. Labor will be provided by Operator for lifting of APCD Dust from Generator Unit but generator will be responsible for proper filling of the dust in bags with sealed for timely lifting of the dust from generator unit.

V. The expenses on loading & transportation shall be borne by the Operator.

VI. Minimum 3 Ton lot is required for lifting of APCD Waste in one consignment. There shall be no lifting of waste if quantity is less than 3 Ton.

VII. In case it is found that the APCD Waste mixed with foreign particles such as sand or garbage, or any other material, the generator will be charged Rs. 10000/- per ton (TSDF Charges) as the operator needs to arrange the lifting of the same by TSDF. On the third (3rd) instance of such findings of the same Generator, the case shall also be referred to the PPCB.

VIII. The validity of the contract shall be for Two years from the date of signing of the contract.

IX. Transportation penalty Rs. 5000/- shall be imposed if booking order is not complied within stipulated time period.

X. Order for lifting of dust shall be made by generator within time period of 30 days; however this time period may increase up to 90 days after mutual understanding.

XI. Above-sited tariff and other conditions are applicable for dry bag house APCD waste only.

XII. The operator shall not be bound to lift wet scrubber APCD waste. In case the operator lifts the same then it shall be without paying any amount.

a) Dispatch of APCD Waste & Invoicing:

For JOGINDRA CASTINGS PVT. LTD.


Auth. Sign.

SIGNATURE ON BEHALF OF OPERATOR

For OASIS ENTERPRISES (P) LTD


Director

SIGNATURE ON BEHALF OF GENERATOR

i. At the time of removal of APCD Waste from the premises of Generator, a delivery challan will be prepared by it giving the required details such as quantity, vehicle number and approximate value of the goods in it. If required, an E-way bill shall also be generated and sent along with delivery challan.

ii. Once goods received in the premises of operator, and rates finalized on the basis of sample testing done, the same shall be communicated to the generator for issue of the tax invoice.

iii. Based on the final rate as communicated, the generator shall issue a tax invoice giving reference number of the delivery challan earlier issued and all the details and shall also charge GST on invoice.

iv. The payment of the invoice will be released within one month after receipt of invoice.

v. **TERMINATION:** Either party shall have right to terminate the agreement in the event of violation of any of the term and conditions of this agreement by giving 30 days written notice to the other party.

MISCELLANEOUS:


- I. Nothing contained herein shall be deemed to constitute a partnership, joint venture or agency and parties hereto.
- II. This agreement may be modified or amended only by writing, duly executed by or on behalf of the parties hereto.

➤ **FOR LIFTING OF APCD DUST CONTACT DETAILS ARE AS FOLLOWS :**

MOBILE NO./ WHATSAPP :- 81466-26873

EMAIL ID :- purchase.jogindrac2c@gmail.com

For OASIS ENTERPRISES (P) LTD




GENERATOR *Director*

For JOGINDRA CASTINGS PVT.LTD.

AUTH. SIGN.

For JOGINDRA CASTINGS PVT. LTD.



Auth. Sign.

SIGNATURE ON BEHALF OF OPERATOR

For OASIS ENTERPRISES (P) LTD.



Director

SIGNATURE ON BEHALF OF GENERATOR



Shiva Aqua Enterprises

Cell: 92162-42177, 99153-23133, Fax : 0161-2671177
E-mail: Shivaqua@rediffmail.com
www.shivaqua.com



Ref No. SAE/OSL/2022

Dated.08/10/2022

To

M/s. Oasis Enterprises (P) Ltd.

Talwara Road

Mandi-Govindgarh.

Subject: - Letter of Completion.


Dear Sir,

This is in regards of your Purchase Order No JCPL/2021/-22/18 dated 09/03/2022 for Sewerage treatment Plant of capacity 50 KLD.

All the materials & Equipment's had been supplied & installed at your site. Hence, we have completed our job satisfactory.

Now STP is working condition and meet desired limit parameter as per PPCB Norms.

Thanking you and assuring you all our best services always, in case of any clarification, please feel free to contact us.



Jitender Singh



B-XXX, SCO-3, GURBAGH COLONY, CHANDIGARH ROAD, LUDHIANA.

No Objection Certificate

M/s. Oasis Enterprises (P) Ltd. is a Steel Industry located at Talwara Road, Sirhind Side, Tehsil Mandi Gobindgarh, District Fatehgarh Sahib, Punjab. There exists a pond having area in the Village TALWARA....., Block Sirhind BASSI PATIANA which gets filled up during rains. We have no objection in case pond is used/adopted for rain water harvesting and artificial recharge of ground water by M/s. Oasis Enterprises (P) Ltd.


The firm will repair and renovate the existing pond and will also maintain the pond and its catchment area. There is an urgent need of rain water harvesting in the area as water level is declining. This will help in increasing the water level decline in the surrounding area.

Authorized Signatory

M/s. Oasis Enterprises (P) Ltd.

For Oasis Enterprises Pvt. Ltd.


Director


सरपंच
ग्राम पंचायत उलहाड़ा
बलाक-धसी पठाना
जिला फतेहगढ़ महाराष्ट्र
25/05/2018

Sarpanch

Gram Panchayat

Village TALWARA

Block BASSI PATIANA

District FATEHGARH SAHIB

Punjab.

TO WHOM IT MAY CONCERN

It is hereby certified that girl namely Jasjeet Kaur D/o Harpreet Singh resident of Vill. Talwara, Tehsil Amloh, Distt. Fatehgarh Sahib, has won the Medal in State Level competition of sports. This fact was also brought to the knowledge of officers present at public hearing of M/s Oasis Enterprises Pvt. Ltd., Talwara Road, Mandi Gobindgarh held on date 21.11.2018 by S. Palwinder Singh r/o Vill. Talwara, Distt. Fatehgarh Sahib. He at that time had demanded help from Oasis Enterprises Pvt. Ltd. for Air Tickets for the girl child to travel abroad for competition. M/s Oasis Enterprises Pvt. Ltd. promised to pay for the same during the Public Hearing. Now M/s Oasis Enterprises have fulfilled their promise and have paid Rs.50000.00 to the girl for travelling by Air.


ਸਰਪੰਚ
ਗ੍ਰਾਮ ਪੰਚਾਇਤ ਤਲਵਾਰਾ
ਬਲਾਕ-ਖਸੀ ਪਠਾਣਾ
ਜਿਲ੍ਹਾ ਫਤਿਹਗੜ੍ਹ ਸਾਹਿਬ

Sarpanch, Gram Panchayat

Vill. Talwara

Date : 11.07.2019

Works : Vill.Talwara, Talwara Road, MANDI GOBINDGARH-147301 (Pb.)

Tel. : 01765 - 250200

E-mail : oasisentpvtltd@rediffmail.com

E-mail : oasisentpvtltd@gmail.com

CIN : U74899DL1986PTC023661

Environmental Policy

We are committed to providing a quality service in a manner that ensures a safe and healthy workplace for our employees and minimises our potential impact on the environment. We will operate in compliance with all relevant environmental legislation and we will strive to use pollution prevention and environmental best practices in all we do.

We will:-

- Integrate the consideration of environmental concerns and impacts into all of our decision making and activities,
- Promote environmental awareness among our employees and encourage them to work in an environmentally responsible manner,
- Train, educate and inform our employees about environmental issues that may affect their work,
- Reduce waste through re-use and recycling and by purchasing recycled, recyclable or re-furnished products and materials where these alternatives are available, economical and suitable,
- Promote efficient use of materials and resources throughout our facility including water, electricity, raw materials and other resources, particularly those that are non-renewable,
- Avoid unnecessary use of hazardous materials and products, seek substitutions when feasible, and take all reasonable steps to protect human health and the environment when such materials must be used, stored and disposed of,
- We will comply with all relevant environmental legislation,
- Where required by legislation or where significant health, safety or environmental hazards exist, develop and maintain appropriate emergency and spill response programmes,
- Communicate our environmental commitment to clients, customers and the public and encourage them to support it,
- Strive to continually improve our environmental performance and minimise the social impact and damage of activities by periodically reviewing our environmental policy in light of our current and planned future activities.

For Oasis Enterprises Pvt. Ltd.


Director

DESH SEWAK, 25TH JUN 2020

CM B

ਦੇਸ਼ ਸੇਵਕ

ਕਲਾਸੀਫਾਈਡ ਇਸ਼ਤਿਹਾਰ

ਸਟੇਟ ਬੈਂਕ ਆਫ ਇੰਡੀਆ
 ਸਟਰੀਟ ਅਸੈਟਸ ਰਿਕਵਰੀ ਬਰਾਂਚ,
 ਐਸਸੀਓ-15, ਦੂਜੀ ਮੰਜ਼ਿਲ, ਸੈਕਟਰ 7-ਸੀ, ਮਧਿਆ ਮਾਰਗ, ਚੰਡੀਗੜ੍ਹ - 160019
 ਫੋਨ 0172-4562015, 4568251, ਈਮੇਲ sbi.05179@sbi.co.in

ਸੂਚ
 ਸ੍ਰੀ ਕਾਜਲ ਹੰਸ ਪੁੱਤਰ ਸ੍ਰੀ ਤਰਸੇਮ ਲਾਲ ਹੰਸ ਦੇ ਖਾਤੇ ਮਿਤੀ 23.06.2020 ਨੂੰ ਪ੍ਰਕਾਸ਼ਿਤ ਹੋਏ ਨਿਲਾਮੀ ਵਿਕਰੀ ਨੋਟਿਸ ਵਿਖੇ ਨਿਯਮ ਤੇ ਸ਼ਰਤਾਂ ਦੇ ਲੜੀ ਨੰ. 5 ਨੂੰ ਪੜ੍ਹਿਆ ਜਾਵੇ ਚਾਹਵਾਨ ਬੇਲੀਕਾਰ ਜਿਸ ਨੂੰ ਲਾਗਿਨ ਆਈਡੀ ਤੇ ਪਾਸਵਰਡ, ਐੱਪ ਲੋਡਿੰਗ ਡਾਟਾ, ਬੇਲੀ ਜਮਾਂ ਕਰਵਾਉਣ ਲਈ ਈ ਬੇਲੀ ਵਿਧੀ ਸਬੰਧੀ ਟ੍ਰੇਨਿੰਗ ਦੀ ਲੋੜ ਹੈ, ਉਹ ਈ-ਨਿਲਾਮੀ ਸਬੰਧੀ ਆਨ ਲਾਈਨ ਟ੍ਰੇਨਿੰਗ ਮੈਸ. ਈ. ਪ੍ਰੋਕਿਊਰਮੈਂਟ ਟੈਕਨਾਲੋਜੀ ਲਿਮ.(ਓਕਸਨ ਟਾਈਗਰ), ਬੀ-704, ਵਾਲ ਸਟਰੀਟ-2, ਸਾਹਮਣੇ ਓਰੀਐਂਟ ਕਲੱਬ, ਨੇੜੇ ਗੁਜਰਾਤ ਕਾਲਜ, ਈਲਸ ਬਰਜ, ਅਹਿਮਦਾਬਾਦ-380006 ਗੁਜਰਾਤ (ਭਾਰਤ) ਸੰਪਰਕ ਵਿਅਕਤੀ ਨਾਮ: ਸ੍ਰੀ ਸਚਿਨ ਬਰਮਾ, ਮੋਬ. 9988137576, ਸ੍ਰੀ ਧਰੁਵ, ਮੁਬ. 9106165604, 07961200520, 598, ਸੁਪਰਟ: 07961200531/559/598/538/554/568/587/594 ਈ-ਮੇਲ ਆਈਡੀ sachin.sharma@auctiontiger.net, punjab@auctiontiger.net, support@auctiontiger.net ਟੈਲਫੋਨ ਨੰ. 1800 103 5342 ਵੈਬਸਾਈਟ ਨੰ. 9374519724 ਸਰਵੇਸੀ ਕੇਸ ਲਈ ਵੈਬਸਾਈਟ <http://sbi.auctiontiger.net/Auctiontiger> ਮੋਬਾਇਲ ਐਪ 'ਤੇ ਵੀ ਸੰਪਰਕ ਕਰੋ ਅਤੇ ਜਾਇਦਾਦ ਸਬੰਧੀ ਪੁੱਛ ਗਿੱਛ ਲਈ ਅਧਿਕਾਰਤ ਅਫਸਰ ਸ੍ਰੀ ਸ਼ਿਆਮ ਸੁੰਦਰ ਡਾਬੜਾ, ਮੋ.9779585761, ਬ੍ਰਾਂਚ ਦੀ ਈ-ਮੇਲ ਆਈਡੀ. sbi.05179@sbi.co.in 'ਤੇ ਕਾਰਜ ਵਾਲੇ ਦਿਨਾਂ ਵਿਚ ਦਫਤਰੀ ਘੰਟਿਆਂ ਦੌਰਾਨ ਜਾਣਕਾਰੀ ਪ੍ਰਾਪਤ ਕੀਤੀ ਜਾ ਸਕਦੀ ਹੈ। ਹੋਰ ਨਿਯਮ ਅਤੇ ਸ਼ਰਤਾਂ ਓਹੀ ਹਨ।

ਅਧਿਕਾਰਤ ਅਫਸਰ

ਟਿਊਬਵੈਲ ਕੁਨੈਕਸ਼ਨ

ਟਿਊਬਵੈਲ ਕੁਨੈਕਸ਼ਨ ਖਾਤਾ ਨੰ. ਏ ਪੀ 19/602 ਜੋ ਕਿ ਗੁਰਬਚਨ ਸਿੰਘ ਪੁੱਤਰ ਜਗਤ ਸਿੰਘ ਵਾਸੀ ਬ੍ਰਾਹਮਣ ਮਾਜਰਾ ਅਧੀਨ ਉਪ ਮੰਡਲ ਸਰੀਹ ਵਿਖੇ ਚੱਲ ਰਿਹਾ ਹੈ ਹੁਣ ਸ਼੍ਰੀਮਤੀ ਕਰਨਜੀਤ ਕੌਰ ਪਤਨੀ ਸ੍ਰੀ ਅਜੀਸ਼ ਸਿੰਘ ਪਾਸੀ ਆਪਣੇ ਨਾਮ ਕਰਵਾ ਰਹੀ ਹੈ ਜੇਕਰ ਕਿਸੇ ਨੂੰ ਕੋਈ ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ 15 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਉਪ ਮੰਡਲ ਸਰੀਹ ਵਿਖੇ ਆਪਣਾ ਇਤਰਾਜ਼ ਪੇਸ਼ ਕਰ ਸਕਦਾ ਹੈ।

ਉਪ ਮੰਡਲ ਅਫਸਰ
ਸਬ ਡਵੀਜ਼ਨ
ਸਰੀਹ ਲੁਧਿਆਣਾ

ਬੇਦਖਲੀ

ਮੈਂ, ਧੀਰਜ ਖੰਨਾ ਵਾਸੀ 351/1, ਖੁਡਾ ਗੁਗਮਾੜੀ, ਚੰਡੀਗੜ੍ਹ ਰੇਖਾ ਨੂੰ ਆਪਣੀ ਚੱਲ ਤੇ ਅਤੇ ਬੇਦਖਲ ਕਰਦਾ ਹਾਂ। ਉਸ ਨਾਲ ਵਾਲਾ ਖੁਦ ਜਿੰਮੇਵਾਰ ਹੋਵੇ।

ਮੈਂ, ਸੁਖਵਿੰਦਰ ਬਲਦੇਵ ਸਿੰਘ ਅਜਰਾਵਰ, ਤਹਿ. (ਪਟਿਆਲਾ) ਮੇਰਾ ਲੜਕਾ ਜੋਕਿ ਮੇਰੇ ਕ ਕਹਿਣੇ ਤੋਂ ਆਪਣੀ ਚੱਲ/ਅਚੱਲ ਜਾਇ ਕਰਦਾ ਹਾਂ, ਲੈਣ-ਦੇਣ ਜਿੰਮੇਵਾਰ ਹੋਵੇਗਾ।

ਪਬਲਿਕ ਨੋਟਿਸ

ਆਮ ਜਨ ਸਧਾਰਨ ਨੂੰ ਇਹ ਜਾਣਕਾਰੀ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਮੈਸ ਓਐਸਿਸ ਇੰਟਰਪ੍ਰਾਇਜ਼ਜ਼ ਪ੍ਰਾਇਵੇਟ ਲਿਮਿਟਡ ਨੂੰ ਸਟੇਟ ਲੇਵਲ ਇਨਵਾਇਰਮੈਂਟ ਇੰਪੈਕਟ ਅਸੈਸਮੈਂਟ ਅਥਾਰਟੀ (ਐਸਈਆਈਏਏ), ਪੰਜਾਬ ਵੱਲੋਂ ਸਾਡੇ ਵਾਤਾਵਰਨ ਸਲਾਹਕਾਰ 'ਮੈਸ ਇਕੋ ਲੈਬੋਰੇਟਰੀਜ਼ ਐਂਡ ਕੰਨਸਟ੍ਰਕਸ਼ਨ ਪ੍ਰਾ. ਲਿਮ. ਮੋਹਾਲੀ' ਰਾਹੀਂ ਸਟੀਲ ਉਤਪਾਦਕ ਯੂਨੀਟ ਸਥਿਤੀ ਪਿੰਡ ਤਲਵਾੜਾ, ਤਲਵਾੜਾ ਰੋਡ, ਮੰਡੀ ਗੋਬਿੰਦਗੜ੍ਹ, ਤਹਿਸੀਲ ਅਮਲੋਹ, ਜ਼ਿਲ੍ਹਾ ਫਤਿਹਗੜ੍ਹ ਸਾਹਿਬ ਦੇ ਵਿਸਥਾਰ ਦੀ ਆਗਿਆ ਦੇ ਦਿੱਤੀ ਗਈ ਹੈ ਰਾਹੀਂ ਪੱਤਰ ਨੰਬਰ. DECC/SEIAA/2020/1638 ਮਿਤੀ 20.05.2020। ਇਨਵਾਇਰਮੈਂਟਲ ਕਲਿਅਰੈਂਸ ਦੀ ਨਕਲ ਸਮੇਤ ਲਾਗੂ ਸ਼ਰਤਾਂ ਇਨਵਾਇਰਮੈਂਟਲ ਕਲਿਅਰੈਂਸ ਪੋਰਟਲ ਅਤੇ ਪ੍ਰੋਜੈਕਟ ਸਮਰਥਕ ਕੋਲ ਉਪਲਬਧ ਹੈ। ਚਾਹਵਾਨ ਵਿਅਕਤੀ ਦੋਹਾਂ 'ਚੋਂ ਕਿਸੇ ਨੂੰ ਸੰਪਰਕ ਕਰ ਸਕਦੇ ਹਨ।

ਮੈਸ ਓਐਸਿਸ ਇੰਟਰਪ੍ਰਾਇਜ਼ਜ਼ ਪ੍ਰਾਇਵੇਟ ਲਿਮਿਟਡ ਪਿੰਡ ਤਲਵਾੜਾ, ਤਲਵਾੜਾ ਰੋਡ, ਮੰਡੀ ਗੋਬਿੰਦਗੜ੍ਹ, ਤਹਿਸੀਲ ਅਮਲੋਹ, ਜ਼ਿਲ੍ਹਾ ਫਤਿਹਗੜ੍ਹ ਸਾਹਿਬ, ਪੰਜਾਬ 147301

ਮੈਸ ਇਕੋ ਲੈਬੋਰੇਟਰੀਜ਼ ਐਂਡ ਕੰਨਸਟ੍ਰਕਸ਼ਨ ਪ੍ਰਾ. ਲਿਮ. ਈ-207, ਇੰਡਸਟਰੀਲ ਖੇਤਰ, ਫੇਜ਼ 8-ਬੀ, ਸੈਕਟਰ 74, ਮੋਹਾਲੀ, ਪੰਜਾਬ

ਪਬਲਿਕ ਨੋਟਿਸ

ਆਮ ਜਨ ਸਧਾਰਨ ਨੂੰ ਇਹ ਜਾਣਕਾਰੀ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਮੈਸ ਜੋਗਿੰਦਰਾ ਕਾਸਟਿੰਗਸ ਪ੍ਰਾਇਵੇਟ ਲਿਮਿਟਡ ਨੂੰ ਸਟੇਟ ਲੇਵਲ ਇਨਵਾਇਰਮੈਂਟ ਇੰਪੈਕਟ ਅਸੈਸਮੈਂਟ ਅਥਾਰਟੀ (ਐਸਈਆਈਏਏ), ਪੰਜਾਬ ਵੱਲੋਂ ਸਾਡੇ ਵਾਤਾਵਰਨ ਸਲਾਹਕਾਰ 'ਮੈਸ ਇਕੋ ਲੈਬੋਰੇਟਰੀਜ਼ ਐਂਡ ਕੰਨਸਟ੍ਰਕਸ਼ਨ ਪ੍ਰਾ. ਲਿਮ. ਮੋਹਾਲੀ' ਰਾਹੀਂ ਸਟੀਲ ਉਤਪਾਦਕ ਯੂਨੀਟ ਸਥਿਤੀ ਜੀਟੀ ਰੋਡ ਸਰਹਿੰਦ ਸਾਈਡ, ਮੰਡੀ ਗੋਬਿੰਦਗੜ੍ਹ ਤਹਿਸੀਲ ਅਮਲੋਹ, ਜ਼ਿਲ੍ਹਾ ਫਤਿਹਗੜ੍ਹ ਸਾਹਿਬ, ਪੰਜਾਬ ਦੇ ਵਿਸਥਾਰ ਦੀ ਆਗਿਆ ਦੇ ਦਿੱਤੀ ਗਈ ਹੈ ਰਾਹੀਂ ਪੱਤਰ ਨੰਬਰ. DECC/SEIAA/2020/1629 ਮਿਤੀ 20.05.2020। ਇਨਵਾਇਰਮੈਂਟਲ ਕਲਿਅਰੈਂਸ ਦੀ ਨਕਲ ਸਮੇਤ ਲਾਗੂ ਸ਼ਰਤਾਂ ਇਨਵਾਇਰਮੈਂਟਲ ਕਲਿਅਰੈਂਸ ਪੋਰਟਲ ਅਤੇ ਪ੍ਰੋਜੈਕਟ ਸਮਰਥਕ ਕੋਲ ਉਪਲਬਧ ਹੈ। ਚਾਹਵਾਨ ਵਿਅਕਤੀ ਦੋਹਾਂ 'ਚੋਂ ਕਿਸੇ ਨੂੰ ਸੰਪਰਕ ਕਰ ਸਕਦੇ ਹਨ।

ਮੈਸ ਜੋਗਿੰਦਰਾ ਕਾਸਟਿੰਗਸ ਪ੍ਰਾਇਵੇਟ ਲਿਮਿਟਡ ਜੀਟੀ ਰੋਡ, ਸਰਹਿੰਦ ਸਾਈਡ, ਮੰਡੀ ਗੋਬਿੰਦਗੜ੍ਹ ਤਹਿਸੀਲ ਅਮਲੋਹ, ਜ਼ਿਲ੍ਹਾ ਫਤਿਹਗੜ੍ਹ ਸਾਹਿਬ, ਪੰਜਾਬ 147301

ਮੈਸ ਇਕੋ ਲੈਬੋਰੇਟਰੀਜ਼ ਐਂਡ ਕੰਨਸਟ੍ਰਕਸ਼ਨ ਪ੍ਰਾ. ਲਿਮ. ਈ-207, ਇੰਡਸਟਰੀਲ ਖੇਤਰ, ਫੇਜ਼ 8-ਬੀ, ਸੈਕਟਰ 74, ਮੋਹਾਲੀ, ਪੰਜਾਬ

ਪਬਲਿਕ ਨੋਟਿਸ

ਸਨਮੁੱਖ ਮਨੀਸ਼ ਕੁਮਾਰ ਲੌਹਾਨ, ਐਚਸੀਐਸ ਅਸਿਸਟੈਂਟ ਆਫਿਸਰ, (ਅਸਟੇਟ ਅਫਸਰ ਦੀਆਂ ਬਕਤੀਆਂ ਦੀ ਵਰਤੋਂ ਕਰਦੇ ਹੋਏ) ਯੂ.ਟੀ., ਚੰਡੀਗੜ੍ਹ



ਵਿਸ਼ਾ : ਬਿਨਾਂ ਰਜਿਸਟਰਡ ਵਸੀਅਤ ਮਿਤੀ 25.09.2008 ਦੇ ਅਧਾਰ 'ਤੇ ਮਕਾਨ ਨੰ. 1656, ਸੈਕਟਰ 7-ਸੀ, ਚੰਡੀਗੜ੍ਹ (ਆਰਪੀ-8114) ਦੇ 100 ਫੀਸਦੀ ਹਿੱਸੇ (ਆਰਪੀ-8114) ਦੇ ਮਾਲਕਾਨਾ ਹੱਕ ਸ੍ਰੀ ਪਰਮਜੀਤ ਸਿੰਘ ਸਹਾਈ ਦੇ ਨਾਂ ਤੋਂ 1. ਸ਼੍ਰੀਮਤੀ ਨੀਨਾ ਸਹਾਈ 2. ਮਿਸ. ਸੋਨੀਆ ਸਹਾਈ 3. ਮਿਸ. ਤਾਨੀਆ ਸਹਾਈ ਦੇ ਨਾਂ ਤਬਦੀਲ ਕਰਨ ਸਬੰਧੀ।

ਆਮ ਜਨ ਸਧਾਰਨ ਤੋਂ ਸਾਰੇ ਸਬੰਧੀਆਂ ਨੂੰ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਇਸ ਦਫਤਰ ਦੇ ਰਿਕਾਰਡ ਮਕਾਨ ਨੰ. 1656, ਸੈਕਟਰ 7-ਸੀ, ਚੰਡੀਗੜ੍ਹ ਦੇ 100 ਫੀਸਦੀ ਹਿੱਸੇ ਦੇ ਮਾਲਕਾਨਾ ਹੱਕ ਸ੍ਰੀ ਪਰਮਜੀਤ ਸਿੰਘ ਸਹਾਈ ਦੇ ਨਾਂ ਹੈ। ਹੁਣ, 1. ਸ਼੍ਰੀਮਤੀ ਨੀਨਾ ਸਹਾਈ 2. ਮਿਸ. ਸੋਨੀਆ ਸਹਾਈ 3. ਮਿਸ. ਤਾਨੀਆ ਸਹਾਈ ਨੇ ਜਾਣਕਾਰੀ ਦਿੱਤੀ ਕਿ ਸ੍ਰੀ ਪਰਮਜੀਤ ਸਿੰਘ ਸਹਾਈ ਦੀ ਮੌਤ ਮਿਤੀ 12.01.2020 ਨੂੰ ਹੋ ਗਈ ਹੈ ਅਤੇ ਜਾਇਦਾਦ ਦੇ 100 ਫੀਸਦੀ ਹਿੱਸੇ ਨੂੰ ਸ੍ਰੀ ਪਰਮਜੀਤ ਸਿੰਘ ਸਹਾਈ ਦੀ ਬਿਨਾਂ ਰਜਿਸਟਰਡ ਵਸੀਅਤ ਮਿਤੀ 25.09.2008 ਦੇ ਅਧਾਰ 'ਤੇ ਤਬਦੀਲ ਕਰਨ ਲਈ ਬੇਨਤੀ ਕੀਤੀ ਹੈ। ਜੇਕਰ ਕਿਸੇ ਵਿਅਕਤੀ ਨੂੰ ਸਵਰਗਵਾਸੀ ਦੇ ਉਪਰ ਦੱਸੇ ਕਾਨੂੰਨੀ ਵਾਰਸਾਂ ਤੋਂ ਇਲਾਵਾ ਕਿਸੇ ਹੋਰ ਵਾਰਸ ਬਾਰੇ ਜਾਣਕਾਰੀ ਹੈ ਤਾਂ ਉਹ ਅਸਟੇਟ ਦਫਤਰ, ਟਾਊਨ ਹਾਲ ਇਮਾਰਤ, ਸੈਕਟਰ 17, ਯੂ.ਟੀ., ਚੰਡੀਗੜ੍ਹ ਵਿਖੇ ਫੌਰਨ ਸੂਚਿਤ ਕਰੇ। ਜੇਕਰ ਕਿਸੇ ਵਿਅਕਤੀ ਨੂੰ ਉਪਰੋਕਤ ਜਾਇਦਾਦ ਬਿਨਕਾਰ ਦੇ ਨਾਂ ਤਬਦੀਲ ਕੀਤੇ ਜਾਣ 'ਚ ਇਤਰਾਜ਼ ਹੈ ਤਾਂ ਉਹ ਇਸ ਇਸ਼ਤਿਹਾਰ ਦੇ ਡੁਪਟ ਦੀ ਮਿਤੀ ਤੋਂ 30 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਦਫਤਰ ਐਗੀਡੇਵਿਟ ਦੇ ਰੂਪ ਵਿਚ ਜਿਹੜਾ ਕਾਰਜਕਾਰੀ ਮਿਸਿਸਟ੍ਰੇਟ/ਨੋਟਰੀ ਪਬਲਿਕ ਤੋਂ ਤਸਦੀਕਬੁਝਾ ਹੋਵੇ ਵਿੱਚ ਲਿਖਤੀ ਤੌਰ 'ਤੇ ਭੇਜ ਸਕਦਾ ਹੈ, ਨਹੀਂ ਤਾਂ ਉਪਰ ਦੱਸੀ ਜਾਇਦਾਦ ਨੂੰ ਇਸ ਅਨੁਸਾਰ ਤਬਦੀਲ ਕਰਨ ਦਾ ਇਤਰਾਜ਼ ਕਰ ਦਿੱਤਾ ਜਾਵੇਗਾ ਅਤੇ ਕਿਸੇ ਪ੍ਰਕਾਰ ਦਾ ਕੋਈ ਦਾਅਵਾ ਬਾਅਦ ਵਿੱਚ ਮੰਨਿਆ ਨਹੀਂ ਜਾਵੇਗਾ।

ਮਨੀਸ਼ ਕੁਮਾਰ ਲੌਹਾਨ, ਐਚਸੀਐਸ ਅਸਿਸਟੈਂਟ ਅਸਟੇਟ ਆਫਿਸਰ, (ਅਸਟੇਟ ਅਫਸਰ ਦੀਆਂ ਬਕਤੀਆਂ ਦੀ ਵਰਤੋਂ ਕਰਦੇ ਹੋਏ) ਯੂ.ਟੀ., ਚੰਡੀਗੜ੍ਹ

ਮੈਂ, ਜਸਪਾਲ ਸਿੰਘ ਹਜੂਰਾ ਸਿੰਘ ਵਾਸੀ ਤਹਿਸੀਲ ਬੱਸੀ ਪਫਤਿਹਗੜ੍ਹ ਸਾਹਿਬ ਬਿਅ ਮੇਰੀ ਲੜਕੀ ਮਨਿੰਦਰ ਕੌਰ ਬਾਹਰ ਹੈ, ਮੈਂ ਇਸ ਨੂੰ ਆ ਅਚੱਲ ਜਾਇਦਾਦ ਤੋਂ ਬੇ ਇਸ ਨਾਲ ਲੈਣ-ਦੇਣ ਜਿੰਮੇਵਾਰ ਹੋਵੇਗਾ, ਮੇਰੀ ਨਹੀਂ ਹੋਵੇਗੀ।

ਮੈਂ, ਗੁਰਤੇਜ ਸਿੰਘ ਸਿੰਘ ਅਤੇ ਪੂਜਾ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਤਹਿਸੀਲ ਖਰੜ (ਮੋ ਲੜਕੇ ਅਮਨਦੀਪ ਸਿੰਘ ਨੂੰ ਕਹਿਣੇ ਤੋਂ ਬਾਹਰ ਹੋ ਚੱਲ ਤੇ ਅਚੱਲ ਜਾਇ ਕਰਦੇ ਹਾਂ। ਲੈਣ-ਦੇਣ ਜਿੰਮੇਵਾਰ ਹੋਣਗੇ।


CHANDIGARH ADMINISTRATION ENGINEERING DEPARTMENT e-TENDER NOTICE

The Executive Engineer C.P. Divn No 2(R), Chandigarh on behalf of President of India invites sealed Percentage rate tender from contractors of appropriate class enlisted with Chandigarh Admn. dealing with Road Works and those of appropriate class enlisted with CPWD, State PWDs of Haryana, Punjab & Himachal Pradesh dealing with Road works which shall be uploaded and received on <http://etenders.chd.nic.in/nicgep>.

S.No	NIT No.	Name of Work and location	Estimated cost put to tender	Earnest Money	Time of completion	For online submission of tender.	Time & date of opening of tender
1.	-	Re-carpeting of Transport Light Point Jn.43 to T-Junction Route No. 3, Chandigarh.	Rs.26,95,860/-	Rs.53,917/-	Two Months	03.07.2020 at 3:00 PM	03.07.2020 at 3:30 PM

For further details, terms & conditions please contact the office of the undersigned or log on/ website: <http://etenders.chd.nic.in/nicgep>.

Executive Engineer, C.P. Division No. 2(Roads), Chandigarh



ਬੈਂਕ ਆਫ ਬਰੋਦਾ
Bank of Baroda

ਵਿਜੈ ਬੈਂਕ ਹੁਣ ਬੈਂਕ ਆਫ ਬਰੋਦਾ
ਸ਼ਾਖਾ ਦਫਤਰ: ਸੁੰਦਰ ਨਗਰ, ਲੁਧਿਆਣਾ

ਰਬਜ਼ਾ ਨੋਟਿਸ (ਅਚੱਲ ਜਾਇਦਾਦ ਲਈ) ਨਿਯਮ(8-(1))
 ਜਦਕਿ ਨਿਮਨ ਹਸਤਾਖਰੀ ਜੋ ਕਿ ਵਿਜੈ ਬੈਂਕ ਆਫ ਬਰੋਦਾ, ਸੁੰਦਰ ਨਗਰ ਸ਼ਾਖਾ, ਲੁਧਿਆਣਾ, ਪੰਜਾਬ ਦਾ ਅਧਿਕਾਰਤ ਅਫਸਰ ਹੋਣ ਨਾਤੇ ਸਕਿਉਰਿਟੀ ਐਂਡ ਰੀਕੋਂਸਟਰਕਸ਼ਨ ਆਫ ਫਾਈਨੈਂਸ਼ੀਅਲ ਐਸਟਸ ਐਂਡ ਇਨਵੇਸਟਮੈਂਟ ਆਫ ਸਕਿਉਰਿਟੀ ਇਕਸਨ ਐਕਟ 2002-ਭਰਤਿ ਅਤੇ ਧਾਰਾ 13 (12) ਅਧੀਨ ਮਿਲੀਆਂ ਤਾਕਤਾਂ ਦੀ ਵਰਤੋਂ ਕਰਦੇ ਹੋਏ ਜਿਸ ਨੂੰ ਕਿ ਸਕਿਉਰਿਟੀ ਇਨਵੇਸਟਮੈਂਟ (ਇਨਵੇਸਟਮੈਂਟ) ਨਿਯਮ 2002 ਦੇ ਨਿਯਮ 3 ਸਹਿਤ ਪੜ੍ਹਿਆ ਜਾਵੇ ਨੇ ਨਿਮਨ ਈਆ ਮਿਤੀਆਂ 'ਤੇ ਡਿਮਾਂਡ ਨੋਟਿਸ ਜਾਰੀ ਕਰਕੇ ਕਰਜ਼ਦਾਰਾਂ ਨੂੰ ਕ੍ਰਮਵਾਰ ਡਿਮਾਂਡ ਨੋਟਿਸ 'ਚ ਦੱਸੀ ਬਕਾਇਆ ਰਕਮ ਨੋਟਿਸ ਦੇ 60 ਦਿਨਾਂ ਅੰਦਰ ਮੋੜਨ ਲਈ ਕਿਹਾ ਸੀ।

NOTICE
 Notice is hereby given in accordance with Regulation 29 of SEBI (Disclosure Requirements and) a meeting of the Board of Directors of the Company will be held on 04.07.2020 at 4.00 PM at the Registered Office of the Company to inter alia to consider and record the Audited Financial Statements of the Company for the year ended 31st March, 2020.

with documentary proof in writing, in person, to this office within 15 days from the date of publication of this notice. In case of non-receipt from any person within stipulated period, the permission for transfer of flat will be granted in favour of Sh Subodh Kumar S/o Sh Azad Singh on the basis of documents submitted as per policy of the board. No Claim/Objection shall be entertained after that in this regard.

Estate Manager, Housing Board Haryana, Hisar

25.06.2020, Applicant declare that owner is plot no. 97-P having area 573 Sq. Mtrs. situated at Sector-29, HUDA Panipat vide Sale Deed No. 3410 dated 17.03.2004 of S.R. Panipat. And the Original document after M.M.O. to 31/7/87, dated 14.09.1989 said plot and copy of GPA Vasika No. 2105 dated 18.07.2000 of S.R. Amritsar has been lost on 21/06/2020 and D.D.R No. 132340122000413 near hotel days Sec-25 Panipat. The same were not mortgaged by the deponent & other owner or any other person with any Bank or Financial Institution. If any person found information please contact above said address.

-Deponent

PUBLIC NOTICE

Sub:- Transfer of Residential MIG H.No-194, Housing Board Colony, Sec- 11, Panchkula in the name of Smt. Poonam Bhalla W/o Sh. Pardeep Bhalla D/o Late Sh. S.K. Malhotra due to death of Late Smt. Kusum Malhotra W/o Late Sh. S. K. Malhotra Living Intestate property. It is notified for the information of the general public and all concerned with the MIG H.No-194, Housing Board Colony, Sec- 11, Panchkula which stands in the name of Late Smt. Kusum Malhotra W/o Late Sh. S. K. Malhotra as per record of this office. It has been reported by the applicant that Late Smt. Kusum Malhotra W/o Late Sh. S. K. Malhotra who was the owner of this property died on 03.06.2020, Smt. Poonam Bhalla W/o Sh. Pardeep Bhalla D/o Late Sh. S.K. Malhotra R/o H.No. 2408, Sec-19-C, Chandigarh, have claimed/applied for the transfer for the said property in her name on the basis of death of Late Smt. Kusum Malhotra W/o Late Sh. S. K. Malhotra. If anybody have any objection for the transfer of the said property in favour of the applicant Smt. Poonam Bhalla W/o Sh. Pardeep Bhalla D/o Late Sh. S.K. Malhotra R/o H.No. 2408, Sec-19-C, Chandigarh. They May furnish their objection in writing in the office of the undersigned within 15 days from the date of publication of this notice. Failing which, this property shall be transferred accordingly and no further claim whatsoever shall be entertained letter on.

Estate Manager, Housing Board Haryana, Panchkula.

PUBLICATION OF ADVERTISEMENT FOR AUCTION OF UNSERVICEABLE STORES PROCURED OUT OF TAG, PUBLIC AND REGT GRANT

1. The following advertisement for auction of unserviceable stores procured out of TAG, Public and Regt grants may be public in your newspaper for wide publicity. "Auction of unserviceable stores procured out of TAG Public and Regt grant will be carried out on 27 Jun 2020 with effect from 1000hrs at 21 Sub Area Signal Company Interested person are requested to reach the place for the said auction". 2. A confirmation to the same may please be forwarded to this office for our necessary action please.

MARKET COMMITTEE, RATIA

PUBLIC NOTICE

Notice to hereby given to the public that the applicants Sh. Rajender S/o Sh. Amarnath R/o Ratia Tehsil Ratia Distt. Fatehabad have approached to this office and filed an application along with Affidavit, Indemnity Bond etc stating that being legal heirs shop number 46, measuring 20' x 125', situated at Anaj Mandi, Ratia as per vide Sale deed 936 dated 21-05-2004 registered in the office of Sub-Registrar Ratia Tehsil Ratia Distt. Fatehabad (1/2 Share) purchased from Bhagwant Singh S/o Sh. Jalwant Singh R/o Fatehabad Tehsil & Distt. Fatehabad and other (1/2 share) transferred from Bimla Devi W/o Amarnath as per vide Decree Order dt. 12-12-2009 passed by Hon'ble Court of Sh. Jasbir Singh, Presiding Officer, Lok Adalat Ratia in Civil Case No. 441-C. Therefore any person (s) having any claim/interest in respect of above referred property or part thereof by way of sale, exchange, mortgage gift, inheritance, lease tenancy, hypothecation or otherwise claiming howsoever, is/are hereby invited to approach this office with supporting documents within 30 days of the publication of this notice, failing which claim of such person (s) will deemed to have been waived or abandoned and the transfer shall be completed accordingly.

Secretary-Cum-E.O., Market Committee, Ratia.

ਨੋਟਿਸ ਆਮ ਪਬਲਿਕ

ਬਾ ਅਦਾਲਤ ਸ੍ਰੀ ਚੇਤਨ ਬੰਗੜ ਤਹਿਸੀਲਦਾਰ ਬਲਾਚੌਰ, ਜ਼ਿਲ੍ਹਾ ਸ਼ਹੀਦ ਭਗਤ ਸਿੰਘ ਨਗਰ। ਰਾਜ ਕੁਮਾਰ ਬਨਾਮ ਆਮ ਪਬਲਿਕ ਹਰ ਆਮ ਤੇ ਖਾਸ ਨੂੰ ਇਸ ਨੋਟਿਸ ਰਾਹੀਂ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਮੁਤਾਬਕ ਰਿਪੋਰਟ ਪਟਵਾਰੀ ਹਲਕਾ ਮਾਲ ਰਿਕਾਰਡ ਪਿੰਡ ਨਿਆਣਾ/463 ਤਹਿਸੀਲ ਬਲਾਚੌਰ ਦੇ ਜਮਾਬੰਦੀ ਸਾਲ 2013-14 ਦੇ ਖੇਤ ਨੰਬਰ 82/124, 37/49, 50,51,52 ਵਿੱਚ ਮਹਿੰਦੂ ਪੁੱਤਰ ਗੁਰਸਰਾਏ ਪੁੱਤਰ ਜੈਮਲ ਸਿੰਘ, ਤਹਿਸੀਲ ਬਲਾਚੌਰ, ਜ਼ਿਲ੍ਹਾ ਸ਼ਹੀਦ ਭਗਤ ਸਿੰਘ ਨਗਰ ਹੁਣ ਤੱਕ ਚੱਲਿਆ ਆ ਰਿਹਾ ਹੈ। ਦਰਖਾਸਤ ਨਾਲ ਸ਼ਾਮਿਲ ਆਧਾਰ ਕਾਰਡ, ਫੂਡ ਕਾਰਪੋਰੇਸ਼ਨ ਆਫ ਇੰਡੀਆ ਦਾ ਸ਼ਨਾਖਤੀ ਕਾਰਡ, ਰਾਸ਼ਨ ਕਾਰਡ ਦੀ ਕਾਪੀ, ਸ਼ਨਾਖਤੀ ਕਾਰਡ, ਗੈਸ ਦੀ ਫੋਟੋ ਕਾਪੀ, ਪਾਸ ਬੁੱਕ ਦੀ ਫੋਟੋ ਕਾਪੀ, ਬਿਜਲੀ ਦੇ ਬਿਲ ਦੀ ਕਾਪੀ ਤੇ ਪੈਨ ਕਾਰਡ ਦੀ ਕਾਪੀ ਤੇ ਇਸਦਾ ਨਾਮ ਰਾਜ ਕੁਮਾਰ ਪੁੱਤਰ ਗੁਰਸਰਾਏ ਦਰਜ ਹੈ। ਹੁਣ ਇਹ ਵਿਅਕਤੀ ਆਪਣਾ ਨਾਮ ਬਦਲ ਕੇ ਰਾਜ ਕੁਮਾਰ ਪੁੱਤਰ ਗੁਰਸਰਾਏ ਕਰਨਾ ਚਾਹੁੰਦਾ ਹੈ, ਅਗਰ ਕਿਸੇ ਵਿਅਕਤੀ ਨੂੰ ਇਸ ਦਾ ਨਾਮ ਤਬਦੀਲ ਕਰਨ ਸਬੰਧੀ ਕੋਈ ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ ਇਸ ਇਸ਼ਤਿਹਾਰ ਦੇ ਫੁੱਲ ਦੇ 20 ਦਿਨਾਂ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਆਪਣਾ ਇਤਰਾਜ਼ ਨਿਮਨ ਹਸਤਾਖਰ ਨੂੰ ਨਾਮ ਦੀ ਤਬਦੀਲੀ ਸਬੰਧੀ ਕਰ ਸਕਦਾ ਹੈ। ਨੰ. 554/ਦ.ਕ. ਮਿਤੀ 3/6/2020 ਸਹੀ/-ਤਹਿਸੀਲਦਾਰ, ਬਲਾਚੌਰ।

PUBLIC NOTICE

It is for the information of General Public that M/s Jogindra Castings Pvt. Ltd. has been granted Environmental Clearance by State Level Environment Impact Assessment Authority (SEIAA), Punjab for Expansion of Steel Manufacturing Unit located at located at G.T Road, Sirhind Side, Mandi Gobindgarh, Teh. Amloh, Distt. Fatehgarh Sahib, Punjab, vide Letter No. DECC/SEIAA/2020/1629 dated 20.05.2020 through our Environmental Consultant "M/s Eco Laboratories & Consultants Pvt. Ltd., Mohali". The copy of the Environmental Clearance along with the conditions to be complied is available with Environmental Clearance portal and with the Project proponent. The interested person can contact either of the two.

M/s Jogindra Castings Pvt. Ltd. G.T Road, Sirhind Side, Mandi Gobindgarh, Teh. Amloh, Distt. Fatehgarh Sahib, Punjab 147301
M/s. Eco Laboratories & Consultants Pvt. Ltd. E-207, Industrial Area, Phase VIII-B, Sector-74, Mohali, Punjab

PUBLIC NOTICE

It is for the information of General Public that M/s Oasis Enterprises Pvt. Ltd. has been granted Environmental Clearance by State Level Environment Impact Assessment Authority (SEIAA), Punjab for Expansion of Steel Manufacturing Unit located at located at Village Talwara, Talwara Road, Mandi Gobindgarh, Teh. Amloh, Distt. Fatehgarh Sahib, Punjab, vide Letter No. DECC/SEIAA/2020/1638 dated 20.05.2020 through our Environmental Consultant "M/s Eco Laboratories & Consultants Pvt. Ltd., Mohali". The copy of the Environmental Clearance along with the conditions to be complied is available with Environmental Clearance portal and with the Project proponent. The interested person can contact either of the two.

M/s Oasis Enterprises Pvt. Ltd. Village Talwara, Talwara Road, Mandi Gobindgarh, Teh. Amloh, Distt. Fatehgarh Sahib, Punjab 147301
M/s. Eco Laboratories & Consultants Pvt. Ltd. E-207, Industrial Area, Phase VIII-B, Sector-74, Mohali, Punjab

Kaur (Co Borrower 2) (LC No. 00000702 of Chandigarh Branch) Rajinder Singh (Borrower) Jyoti Singh (Co Borrower 1) Jitendra Kaur (Co Borrower 2)	20-02-2020 / ₹ 2935047 /-(₹ Twenty Nine lakh Thirty Five Thousand Forty Seven) NPA (01-01-2020)	Bathinda House No Road, Ro Rupnagar
(LC No. 00042557 of Chandigarh - Madhya Margh Branch) Balwinder Singh (Borrower) Ravinder Kaur (Co Borrower 1)	19-11-2019 / ₹ 2864178 /-(₹ Twenty Eight lakh Sixty Four Thousand One Hundred Seventy Eight) NPA (01-09-2019)	Khasra N Near Roh Kuraili Kur
(LC No. 00003742 of Jalandhar Branch) Surinder Kumar (Borrower) Kashmiro Wo Surinder Kumar (Co Borrower 1)	21-01-2020 / ₹ 2836464 /-(₹ Twenty Eight lakh Thirty Six Thousand Four Hundred Sixty Four) NPA (01-12-2019)	Kh No-46 Batala, Gu
(LC No. 00004149 of Patiala Branch) Binder Singh (Borrower) Parshinder Kaur (Co Borrower 1)	20-02-2020 / ₹ 2577402 /-(₹ Twenty Five lakh Seventy Seven Thousand Four Hundred Two) NPA (01-12-2019)	House#20 deep Niw 147001,P
(LC No. 00002374 of Bathinda Branch) Parmjeet Singh (Borrower) Surinder Kaur (Co Borrower 1)	21-01-2020 / ₹ 2560367 /-(₹ Twenty Five lakh Sixty Thousand Three Hundred Sixty Seven) NPA (01-12-2019)	Near Gov Thandewa Gidderbaf Faridkot P
(LC No. 00003482 of Jalandhar Branch) Ganesh Nagbansi (Borrower) Santosh Nagvashi (Co Borrower 1) Anirudh Bharti (Co Borrower 2)	20-02-2020 / ₹ 2513058 /-(₹ Twenty Five lakh Thirteen Thousand Fifty Eight) NPA (01-01-2020)	Vill Balsar Beas Dere 144001,P
(LC No. 00041651 of Ludhiana - Stock Exchang Branch) Ram Kishor (Borrower) Nirmala Devi (Co Borrower 1)	20-02-2020 / ₹ 2475980 /-(₹ Twenty Four lakh Seventy Five Thousand Nine Hundred Eighty) NPA (01-01-2020)	B-xvii-242 Azad Nag Punjab.
(LC No. 00000152 of Amritsar Branch) Vijay Kumar Vohra (Borrower) Kiran K (Co Borrower 1)	19-12-2019 / ₹ 2462209 /-(₹ Twenty Four lakh Sixty Two Thousand Two Hundred Nine) NPA (01-11-2019)	Pvt Plot No No 71//20 nupur Maj Punjab - 1
(LC No. 00000901 of Bathinda Branch) Baljit Singh (Borrower) Harjit Kaur (Co Borrower 1) Bhupinder Singh (Guarantor 1)	19-12-2019 / ₹ 2265630 /-(₹ Twenty Two lakh Sixty Five Thousand Six Hundred Thirty) NPA (01-11-2019)	Ward No 1 School, Di Punjab - 1
(LC No. 00007690 of Chandigarh Metro Branch) Kuldeep Kaur (Borrower) Baljit Kaur (Co Borrower 1) Ravinder Singh (Co Borrower 2)	19-12-2019 / ₹ 2262679 /-(₹ Twenty Two lakh Sixty Two Thousand Six Hundred Seventy Nine) NPA (01-11-2019)	B0160229 Village Bac Vill Badali Rupnagar
(LC No. 00006421 of Patiala Branch) Hardeep Singh (Borrower) Bhupinder Kaur (Co Borrower 1)	19-12-2019 / ₹ 2136753 /-(₹ Twenty One lakh Thirty Six Thousand Seven Hundred Fifty Three) NPA (01-11-2019)	Village: Ma S.b.i Bank Punjab - 14
(LC No. 00002408 of Ludhiana Metro Branch) Manoj Kumar (Borrower) Usha (Co Borrower 1) Anil Kumar Dhigan (Guarantor 1)	20-02-2020 / ₹ 2133023 /-(₹ Twenty One lakh Thirty Three Thousand Twenty Three) NPA (01-01-2020)	Prop No 11 10, Gatta F Ludhiana-1
(LC No. 00002601 of Patiala Branch) Balwinder Singh (Borrower) Nirmala Rani (Co Borrower 1)	20-02-2020 / ₹ 2067271 /-(₹ Twenty lakh Sixty Seven Thousand Two Hundred Seventy One) NPA (01-12-2019)	New Profes 188 Kha No Patiala-147
(LC No. 00000561 of Amritsar Branch) Ashok Kumar (Borrower) Sunita Ashok Kumar (Co Borrower 1)	20-02-2020 / ₹ 2011041 /-(₹ Twenty lakh Eleven Thousand Forty One) NPA (01-01-2020)	Pvt Plot No Pal Avenue Niwas, kala Punjab 143
(LC No. 00002262 of Jalandhar Branch) Surjeet Kumar (Borrower) Savita Devi (Co Borrower 1)	20-02-2020 / ₹ 1931557 /-(₹ Nineteen lakh Thirty One Thousand Five Hundred Fifty Seven) NPA (01-01-2020)	Kh-6r/25, 12 Jail Road, G Punjab.
(LC No. 00003867 of Ludhiana Metro Branch) Kewal Singh Saggi (Borrower) Amandeep Singh (Co Borrower 1) Amrit Kaur (Co Borrower 2)	19-12-2019 / ₹ 1924582 /-(₹ Nineteen lakh Twenty Four Thousand Five Hundred Eighty Two) NPA (01-11-2019)	Gurdeep C BularaLudh
(LC No. 00003244 of Patiala Branch) Manoj Kumar (Borrower) Sarina Rani (Co Borrower 1)	21-01-2020 / ₹ 1916867 /-(₹ Nineteen lakh Sixteen Thousand Eight Hundred Sixty Seven) NPA (01-12-2019)	Shahida Wa an Shahida Saman Sam
(LC No. 00002306 of Ludhiana Branch) Bakhsish Singh (Borrower) Jaswinder Kaur (Co Borrower 1)	21-01-2020 / ₹ 1877724 /-(₹ Eighteen lakh Seventy Seven Thousand Seven Hundred Twenty Four) NPA (01-12-2019)	Plot No 4 & Manjeet Dh Ludhiana Lu
(LC No. 00004107 of Ludhiana Metro Branch) Jatinder Kumar Arora (Borrower) Jyoti Arora (Co Borrower 1)	20-02-2020 / ₹ 1775288 /-(₹ Seventeen lakh Seventy Five Thousand Two Hundred Eighty Eight) NPA (01-01-2020)	near rama w near rama w Punjab 1410
(LC No. 00000908 of Patiala Branch) Harbans Singh (Borrower) Avtar Singh (Co Borrower 1)	20-02-2020 / ₹ 1767416 /-(₹ Seventeen lakh Sixty Seven Thousand Four Hundred Sixteen) NPA (01-01-2020)	Ward No-5 School,Patia
(LC No. 00003113 of Jalandhar Branch) Surinder Pal (Borrower) Rajni R (Co Borrower 1)	20-02-2020 / ₹ 1748967 /-(₹ Seventeen lakh Forty Eight Thousand Nine Hundred Sixty Seven) NPA (01-01-2020)	Kh No 1-0 S la, Kapurthal
(LC No. CHD00100 of Chandigarh Branch) SUKHJINDER JEET SINGH (Borrower)	21-01-2020 / ₹ 1743602 /-(₹ Seventeen lakh Forty Three Thousand Six Hundred Two) NPA (01-01-2016)	HOUSE: 1, COLONY
(LC No. 00006214 of Patiala Branch) Parvinder Singh (Borrower) Surjeet Kaur (Co Borrower 1)	20-02-2020 / ₹ 1691344 /-(₹ Sixteen lakh Ninety One Thousand Three Hundred Forty Four) NPA (01-01-2020)	Uru Teg Bal Near Gurud Patiala Punj
(LC No. 00002145 of Bathinda Branch) Kulwant Singh (Borrower) Nirmal Kaur (Co Borrower 1)	19-12-2019 / ₹ 1631551 /-(₹ Sixteen lakh Thirty One Thousand Five Hundred Fifty One) NPA (01-10-2019)	Ward No.5 Rana Panj G ferozepur Fe
(LC No. 00001650 of Jalandhar Branch) Raminder Singh (Borrower) Manpreet Kaur (Co Borrower 1)	21-01-2020 / ₹ 1616941 /-(₹ Sixteen lakh Sixteen Thousand Nine Hundred Forty One) NPA (01-12-2019)	Kh No-164,1 Kabir Kariyar -143406
(LC No. 00001097 of Jalandhar Branch) Baljinder Singh (Borrower) Navjot Kaur (Co Borrower 1)	19-12-2019 / ₹ 1611337 /-(₹ Sixteen lakh Eleven Thousand Three Hundred Thirty Seven) NPA (01-10-2019)	Street No.2 Sabharwar F Punjab - 143

If the said Borrowers shall fail to make payment to DHFL as aforesaid, DHFL shall proceed against under Section 13(4) of the Act and the applicable Rules, entirely at the risks of the said Borrowers. The said Borrowers are prohibited under the Act from transferring the aforesaid property, sale, lease or otherwise without the prior written consent of DHFL. Any person who contravenes the provisions of the said Act or Rules made there under, shall be liable for imprisonment and/or fine under the Act.

Date : 25-06-2020
Place: Panjab
(Auth)
Dewan Housing Fl



Environmental Clearance Documents

- ✓ Ingots
- ✓ Billets
- ✓ Blooms
- ✓ Alloy Steel
- ✓ TMT Bars
- ✓ Industrial Gases



Adobe Flash Player is no longer supported

ENVIRONMENTAL CLEARANCE DOCUMENTS



[EC Letter Oasis](#)



[EC Letter Jogindra](#)



[EC letter Vardhman Adarsh Ispat](#)

Regarding six monthly compliance of M/s Oasis Enterprises Pvt. Ltd. for period ending 31.03.2023

Oasis Enterprises Private Limited <oasisentpvtltd@gmail.com>

Fri 26/05/2023 11:13

To:ecompliance-nro@gov.in <ecompliance-nro@gov.in>;ronz.chd-mef@nic.in <ronz.chd-mef@nic.in>

Cc:eerofgs@gmail.com <eerofgs@gmail.com>;seiaapb2017@gmail.com <seiaapb2017@gmail.com>

 1 attachments (23 MB)

Six Monthly Compliance Report 31.03.2023 (Oasis).pdf;

Dear Sir,

Greetings of the day!!!

We are hereby submitting six-monthly compliance report for the period ending 31.03.2023 for the Steel Manufacturing Unit namely "M/s Oasis Enterprises Pvt. Ltd." located at Village Talwara, Talwara Road, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab.

Kindly acknowledge the receipt of the same.

Regards

M/s Oasis Enterprises Pvt. Ltd.